

Movement and Cognition

The relationship between gross motor skills, executive functioning, and academic achievement in children with learning disorders

Marieke Westendorp

The studies described in this thesis have been conducted under the auspices of the Center for Human Movement Sciences, part of the University Medical Center Groningen, University of Groningen, the Netherlands.

The study in this thesis was financially supported by the University Medical Center Groningen.

The publication of this thesis was financially supported by the graduate school for Behavioral and Cognitive Neurosciences and the University of Groningen

Paranimfen: Annerieke Stienstra-Sikkema
Gretha Verbree-Mulder

Cover design: Sven westendorp
Carlijn Westendorp
Jeroen Wetendorp

Lay-out: Jeroen Westendorp

Printed by: CPI Koninklijke Wöhrmann

ISBN: 978-90-367-6977-8

© 2014 M. Westendorp, Groningen, the Netherlands

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission in writing from the author.



rijksuniversiteit
 groningen

Movement and cognition

**The relationship between gross motor skills, executive functioning, and
 academic achievement in children with learning disorders**

Proefschrift

Ter verkrijging van de graad van doctor aan de
 Rijksuniversiteit Groningen
 op gezag van de
 rector magnificus prof. dr. E. Sterken
 en volgens besluit van het College voor Promoties.

De openbare verdediging zal plaatsvinden op
 maandag 26 mei 2014 om 14.30 uur

door

Marieke Westendorp-Haverdings

geboren op 1 oktober 1981
 te Zuidlaren

Promotor

Prof. dr. C. Visscher

Copromotores

Dr. E. Hartman

Dr. S. Houwen

Beoordelingscommissie

Prof. dr. R.J. Bosker

Prof. dr. K.A.P.M. Lemmink

Prof. dr. E.J.A. Scherder

Contents

Chapter 1	Introduction	7
Chapter 2	Are gross motor skills and sports participation related in children with intellectual disabilities? Westendorp, M., Houwen, S., Hartman, E., & Visscher, C. <i>Research in Developmental Disabilities, 2011, 32, 1147-1153.</i>	15
Chapter 3	The relationship between gross motor skills and academic achievement in children with learning disabilities Westendorp, M., Hartman, E., Houwen, S., Smith, J., & Visscher C. <i>Research in Developmental Disabilities, 2011, 32, 2773-2779.</i>	31
Chapter 4	A longitudinal study on gross motor development in children with learning disorders Westendorp, M., Hartman, E., Houwen, S., Huijgen, B. C. H., Smith, J., & Visscher C. <i>Research in Developmental Disabilities, 2014, 35, 357-363.</i>	45
Chapter 5	Specific associations between gross motor skills and executive functioning in children with learning disorders: a longitudinal study Westendorp, M., Hartman, E., Houwen, S., Smith, J., & Visscher C. <i>Submitted</i>	59
Chapter 6	Effect of a ball skill intervention on children's ball skills and cognitive functions Westendorp, M., Houwen, S., Hartman, E., Mombarg, R., Smith, J., & Visscher, C. <i>Medicine and Science in Sports and Exercise, 2014, 46, 414-422.</i>	73
Chapter 7	Discussion and conclusions	93
Summary		101
Samenvatting		105
Dankwoord		111
Curriculum Vitae		115
List of Publications		117

Chapter 1

Introduction

Background of the study

In the Netherlands, almost forty thousand children attend special-needs primary schools (CBS, 2013). Children in Dutch special-needs primary schools (from now called children with learning disorders) have learning lags in one or more academic skills (i.e. reading, spelling, and mathematics) meaning that a child has not mastered the academic level that would have been expected given the months of formal education they have received¹. The focus in the education of children with learning disorders (LD), as well as in scientific research about this group of children, is primarily on their cognitive performance. Far less attention is given to the motor development of children with LD, although it is known that motor development is an important factor in child development (Bushnell & Boudreau, 1993; Lubans, Morgan, Cliff, Barnett, & Okely, 2010). Although most attention has been paid to the cognitive profile of children with LD, it has been shown that motor problems are not uncommon in this population (Simons, Daly, Theodorou, Caron, Simons, & Andoniadou, 2008; Vuijk, Hartman, Scherder, & Visscher, 2010; Vuijk, Hartman, Mombarg, Scherder, & Visscher 2011). Less is however known about the developmental trajectory of motor skills and the possible relationship with cognitive performance in this population. Given the importance of sufficient motor development for physical activity, sports participation, healthy lifestyles (Barnett, van Beurden, Morgan, Brooks, & Beard, 2009; Lubans et al., 2010), and cognition (e.g. Haapala, 2013; Rigoli, Piek, Kane, Whillier, Baxter, & Wilson, 2013), research focussing on the motor development of children with LD and the possible relationship with their cognitive development has both scientific and practical relevance. Such research could provide insight into possible relationships between the motor and the cognitive domains of child development in this vulnerable population. Furthermore, this research could provide valuable clues for the development of interventions and may lead to better understanding and support of these children in the educational setting. The aims of this thesis were, therefore, to gain insight into the development of motor skills and the possible relationship between motor skills and cognitive performance in children with LD.

Theoretical framework

Gross motor development

This thesis focuses specifically on the gross motor skill performance of children with LD. Gross motor skills are motor skills that require the use of large musculature to achieve the goal of the skill (Magill, 2001) and include locomotor skills and object-control skills (also called ball skills in this thesis) (Gabbard, 2008; Ulrich, 2000). Locomotor skills involve moving the body through space from one place to another (e.g. running, hopping, sliding, and jumping) and object-control skills consist of manipulating and projecting objects primarily with hands and feet (e.g. throwing, catching, bouncing, and kicking) (Gabbard, 2008; Ulrich 2000). Gross motor skills are considered as the building blocks for the development of more complex motor skills and sport-specific skills (Stodden et al. 2008; Wall, 2004).

¹ Since 2001 in the Netherlands children with an IQ between 50-79 without a physical disability and children with learning and/or pedagogic problems with an IQ of 80 and above attend the same special-needs primary school.

Competence in gross motor skills does not naturally emerge during childhood, but must be achieved through experience and appropriate practice (Clark & Metcalfe, 2002; Stodden et al. 2008). Sufficient proficiency in gross motor skills enables children to engage successfully in physical activities, sports and games (Stodden et al., 2008; Wall, 2004). In addition, competence in gross motor skills may also have a positive effect on children's cognitive development (e.g. Murray et al., 2006; Piek et al., 2008; Son & Meisels, 2006; Viholainen et al., 2006).

Motor development and cognitive performance

Many years ago, Piaget argued that cognitive development relies totally on motor functioning in children (Piaget & Inhelder, 1966). In line with Piaget's argumentation, Busnell and Boudreau (1993) emphasized that the emergence of motor skills determines cognitive and perceptual development. Gibson also reasoned that adequate motor development in (young) children enables them to actively explore their surroundings and to acquire knowledge (Gibson, 1988). For example, when a toddler is crawling through the living room, he detects and observes movements of other objects (parents, animals, other children) and in this way he discovers and gains information about the interrelationship among objects and other people. Object interaction, sitting, and locomotion in infants expand their opportunities to interact and learn, which will have positive effects on the development of cognitive skills (Bornstein, Hahn, & Suwalsky, 2013).

In the last decades, the relationship between motor and cognitive development has been frequently examined in typically developing children. For example, Piek et al. (2008) assessed children at preschool age (ages 4 months to 4 years) and then again at school age which varied from 6 to 12 years old. They found a positive relationship between gross motor skills in the preschool age and cognitive skills (i.e. processing speed and working memory) at school age. Murray et al. (2006) found a significant linear relationship between the age of learning to stand without support and cognitive skills (i.e. categorization with or without working memory load) at age 35; the earlier the attainment of the motor milestone, the better the categorization in adulthood. Son and Meisels (2006) showed that better gross motor skill performance at 4 years of age was positively related to reading and mathematics performance in the first grade. Finally, Viholainen et al. (2006) concluded that children at-risk of familial dyslexia with slow motor development in the first year of life had a smaller vocabulary at 3 and 5 years of age and were also slower in reading speed at 7 years of age compared to children at-risk of familial dyslexia with a fast motor development. To summarize, previous research has shown that the better the development of gross motor skills, the better the cognitive performance. For children with LD, with major problems in academic skills, adequate gross motor skill development may be important to promote the development of their academic skills.

From a neuropsychological perspective, the close association between motor and cognitive development can be explained by the co activation of the cerebellum, important for complex and coordinated movements, and the prefrontal cortex, critical for higher-order cognitive functioning, i.e. executive functioning (Diamond, 2000). Executive functioning (EF) is an umbrella term that includes a number of interrelated higher-order cognitive processes necessary for purposeful and goal-directed behavior (Welsh,

Friedman, & Spieker, 2008). Typical EF processes are inhibition, cognitive flexibility, working memory, planning, and problem solving (Diamond, 2013; Miyaka, Emerson, Witzki, Howerter, & Wager, 2000). The neural link between the cerebellum and the prefrontal cortex occurs when tasks are complex and executed in novel, changing and unexpected environments (Diamond, 2000). Through the dynamic, novel, and interactive character of sports and games these settings are ideal situations to effectively acquire and practice EF (Best, 2010). It has been shown that EF plays a critical role in the development of academic skills (e.g. Best, Miller, & Naglieri, 2011; Bull, Epsy, & Wiebe, 2008; Diamond, 2013). Furthermore, it is thought that improvements in EF facilitate improvements in academic skills (Best, Miller, & Jones, 2009), or that adequate EF develops prior to behaviors affecting academic skills (Riggs, Blair, & Greenberg, 2003). It has been suggested that EF serves as common domain-general factor underlying the motor-cognitive performance link (Roebbers, Röthlisberger, Neuenschwander, Cimeli, Michel, & Jäger, 2014).

Research questions and thesis outline

The aim of this thesis is to examine the development of gross motor skills and the possible relationship between gross motor skills and cognitive performance (i.e. EF and academic skills) in children with LD aged between 7 and 12 years. This thesis attempts to answer the following main research questions: 1) What is the level of gross motor skill performance of children with LD compared to typically developing children and how do gross motor skills develop with age in children with LD? 2) Is there a relationship between gross motor skills and children's cognitive performance? 3) What is the effect of a motor intervention on children's gross motor skills and their cognitive performance?

In Chapter 2, the gross motor skills of children with intellectual disabilities (a subgroup of children with LD) and the relationship with their sport participation are investigated and compared with a large group of typically developing children. To examine whether children with intellectual disabilities have problems with all gross motor skills or specific ones, scores on individual skills are compared with that of their peers. Chapter 3 addresses the question of whether or not specific relationships between different subsets of gross motor skills (i.e. locomotor skills and ball skills) and different domains of academic achievement (i.e. reading, spelling, and mathematics) could be established. In this study, conducted in children with learning disabilities (a subgroup of children with LD), children's performance in locomotor skills and ball skills are related to their performance in reading, spelling and mathematics. Furthermore, the gross motor skill scores are compared with their typically developing peers to gain insight into the motor problems of these children. Chapter 4 presents longitudinal data on the development of gross motor skills in children with LD from 7- to- 11 years old. The aim is to examine developmental changes in gross motor skills during the primary-school period. Additionally, it is explored whether the developmental trajectories of gross motor skills are influenced by sex. The study in Chapter 5 addresses the question of whether gross motor skill performance is related to performance in children with LD on EF one and two years later. Chapter 6 features an intervention study that focused on the effect of a ball skill intervention on children's ball skill performance, EF and academic skills. The theoretical principles, the practical content

of the intervention, and the intervention design are described and explained. Finally, Chapter 7 is the general discussion in which the findings of the different studies are combined and discussed. Reflection on the study, practical implications and recommendations for future research as well as recommendations for the educational practice are provided.

References

- Barnett, L. M., van Beurden, E., Morgan, P. J., Brooks, L. O., & Beard, J. R. (2009). Childhood motor skill proficiency as a predictor of adolescent physical activity. *The Journal of Adolescent Health, 44*, 252-259.
- Best, J. R. (2010). Effects of physical activity on children's executive function: Contributions of experimental research on aerobic exercise. *Developmental Review, 30*, 331-351.
- Best, J. R., Miller, P. H., & Jones, L. L. (2009). Executive functions after age 5: Changes and correlates. *Developmental Review, 29*, 180-200.
- Best, J. R., Miller, P. H., & Naglieri, J. A. (2011). Relations between executive function and academic achievement from ages 5 to 17 in a large, representative national sample. *Learning and Individual Differences, 21*, 327-336.
- Bull, R., Espy, K. A., & Wiebe, S. A. (2008). Short-term memory, working memory, and executive functioning in preschoolers: longitudinal predictors of mathematical achievement at age 7 years. *Developmental Neuropsychology, 33*, 205-228.
- Bornstein, M. H., Hahn, C. S., & Suwalsky, J. T. D. (2013). Physically developed and exploratory young infants contribute to their own long-term academic achievement. *Psychological Science, 24*, 1906-1917.
- Bushnell, E. W., & Boudreau, J. P. (1993). Motor development and the mind: The potential role of motor abilities as a determinant of aspects of perceptual development. *Child Development, 64*, 1005-1021.
- Central Bureau of Statistics, Retrieved, October 28, 2013, from <http://statline.cbs.nl/StatWeb/publication/?VW=T&DM=SLNL&PA=37846SOL&D1=0&D2=a&D3=a&D4=a&HD=090218-1354&HDR=T,G2,G1&STB=G3>
- Clark, J. E., & Metcalfe, J. S. (2002). The mountain of motor development. In: Clark, J. E., Humphrey, J. H. editors. *Motor development: research and reviews, volume 2* (p 163-190). Reston, VA: National Association of Sport & Physical Education Publications.
- Diamond, A. (2000). Close interrelation of motor development and cognitive development and of the cerebellum and prefrontal cortex. *Child Development, 71*, 44-56.
- Diamond, A. (2013). Executive Functions. *Annual Review of Psychology, 64*, 135-168.
- Gabbard, C. P. (2008). *Lifelong Motor Development* (5th ed.). San Francisco: Pearson-Benjamin Cummings.
- Gibson, E. J. (1988). Exploratory behaviour in the development of perceiving, acting, and the acquiring of knowledge. *Annual Review Psychology, 39*, 1-41.
- Haapala, E. A. (2013). Cardiorespiratory fitness and motor skills in relation to cognition and academic performance in children: a review. *Journal of Human Kinetics, 36*, 55-68.
- Lubans, D. R., Morgan, P. J., Cliff, D. P., Barnett, L. M., & Okely, A. D. (2010). Fundamental movement skills in children and adolescents: review of associated health benefits. *Sports Medicine, 40*, 1019-1035.
- Magill, R. A. (2000). *Motor Learning: Concepts and Applications with PowerWeb: Health and Human Performance* (6th ed). McGraw-Hill Education.
- Miyaka, A., Friedman, N. P., Emerson, M. J., Witzki, A. H., Howerter, A., & Wager, T. D. (2000). The unity and diversity of executive functions and their contributions to

- complex frontal lobe tasks: a latent variable analysis. *Cognitive Psychology*, *41*, 49-100.
- Murray, G. K., Veijola, J., Moilanen, K., Miettunen, J., Glahn, D. C., Cannon, T. D., Jones, P. B., & Isohanni, M. (2006). Infant motor development is associated with adult cognitive categorisation in a longitudinal birth cohort study. *Journal of Child Psychology and Psychiatry*, *47*, 25-29.
- Piaget J., & Inhelder B. (1966) *La Psychologie De L'enfant*. Presses Universitaires de France, Paris.
- Piek, J. P., Dawson, L., Smith, L. M., & Gasson, N. (2008). The role of early fine and gross motor development on later motor and cognitive ability. *Human Movement Science*, *27*, 668-681.
- Riggs, N. R., Blair, C. B., & Greenberg, M. T. (2003). Concurrent and 2-year longitudinal relations between executive function and the behavior of 1st and 2nd grade children. *Child Neuropsychology*, *9*, 267-276.
- Rigoli, D., Piek, J. P., Kane, R., Whillier, A., Baxter, C., & Wilson, P. (2013). An 18-month follow-up investigation of motor coordination and working memory in primary school children [published online ahead of print October, 10, 2013]. *Human Movement Science*, doi 10.1016/j.humov.2013.07.014.
- Roebbers, C. M., Röthlisberger, M., Neuenschwander, R., Cimeli, P., Michel, E., & Jäger, K. (2014). The relation between cognitive and motor performance and their relevance for children's transition to school: A latent variable approach. *Human Movement Science*, *33*, 284-297.
- Simons, J., Daly, D., Theodorou, F., Caron, C., Simons, J., & Andoniadou, E. (2008). Validity and reliability of the TGMD-2 in 7-10 year old Flemish children with intellectual disability. *Adapted Physical Activity Quarterly*, *25*, 71-82.
- Son, S. H., & Meisels, S. J. (2006). The relationship of young children's motor skills to later reading and math achievement. *Merrill-Palmer Quarterly*, *52*, 755-778.
- Stodden, D. F., Goodway, J. D., Langendorfer, S. J., Roberton, M. A., Rudisill, M. E., Garcia, C., & Garcia, L. E. (2008). A developmental perspective on the role of motor skill competence in physical activity: an emergent relationship. *Quest*, *60*, 290-305.
- Ulrich, D. A. (2000). *Test of Gross Motor Development* (2nd ed.). Austin, TX: Pro-Ed.
- Viholainen, H., Ahonen, T., Lyytinen, P., Cantell, M., Tolvanen, A., & Lyytinen, H. (2006). Early motor development and later language and reading skills in children at risk of familial dyslexia. *Developmental Medicine & Child Neurology*, *48*, 367-373.
- Vuijk, P. J., Hartman, E., Scherder, E. J. A., & Visscher, C. (2010). Motor performance of children with mild intellectual disability and borderline intellectual functioning. *Journal of Intellectual Disability Research*, *54*, 955-965.
- Vuijk, P. J., Hartman, E., Mombarg, R., Scherder, E. J. A., & Visscher, C. (2011). Associations between the academic and motor performance in a heterogeneous sample of children with learning disabilities. *Journal of Learning Disabilities*, *44*, 276-282.
- Wall, A. E. T. (2004). The developmental skill-learning gap hypothesis: implications for children with movement difficulties. *Adapted Physical Activity Quarterly*, *21*, 197-218.
- Welsh, M. C., Friedman, S. L., & Spieker, S. J. (2008). Executive functions in developing

children: current conceptualizations and questions for the future. In: McCartney K, Phillips D. editors. *Blackwell Handbook of Early Childhood Development*. Oxford UK: Blackwell Publishing Ltd; p 167- 187.

Chapter 2

Are gross motor skills and sports participation related in children with intellectual disabilities?

Marieke Westendorp
Suzanne Houwen
Esther Hartman
Chris Visscher

Abstract

This study compared the specific gross motor skills of 156 children with intellectual disabilities (ID) ($50 \leq IQ \leq 79$) with that of 255 typically developing children, aged 7-12 years. Additionally, the relationship between the specific gross motor skills and organized sports participation was examined in both groups. The Test of Gross Motor Development-2 and a self-report measure were used to assess children's gross motor skills and sports participation, respectively. The children with ID scored significantly lower on almost all specific motor skill items than the typically developing children. Children with mild ID scored lower on the locomotor skills than children with borderline ID. Furthermore, we found in all groups that children with higher object-control scores participated more in organized sports than children with lower object-control scores. Our results support the importance of attention for well-developed gross motor skills in children with borderline and mild ID, especially to object-control skills, which might contribute positively to their sports participation.

Keywords: Locomotor skills, object-control skills, primary-school-age, mental retardation, organized physical activity

Introduction

In the Netherlands, about 44,000 children attend primary special-needs schools (Central Bureau of Statistics, 2010), which include children with borderline (IQ = 71-79) and mild (IQ = 50-70) intellectual disabilities. Intellectual disabilities (ID) are characterized by limitations in cognitive functioning and includes severe deficits or limitations in an individual's skills in several domains: cognitive, language, motor, psychosocial, and specific activities of daily living (American Association on Intellectual and Developmental Disabilities, 2010; Pratt & Greydanus 2007; Salvador & Bertelli, 2008; Shalock, Luckasson, & Shogren, 2007).

Although most attention has been given to the cognitive functioning of children with ID, it has been shown that motor problems are not uncommon in this population (Frey & Chow, 2006; Hartman, Houwen, Scherder, & Visscher, 2010; Simons, Daly, Theodorou, Caron, Simons, & Andoniadou, 2008; Vuijk, Hartman, Scherder, & Visscher, 2010; Zhang, 2001). Well-developed gross motor skills are important, because these skills are thought to facilitate children's cognitive development (Piek, Dawson, Smith, & Gasson, 2008; Son & Meisels, 2006), contribute positively to activities of daily living (Watkinson, Causgrove Dunn, Cavaliere, Calzonetti, Wilhelm, & Dwyer, 2001) and are commonly considered as the building blocks for the development of more complex motor and sport-specific skills (Stodden, Goodway, Langendorfer, Robertson, Rudisill, Garcia, & Garcia, 2008; Wall, 2004). Although a number of studies have examined the gross motor skill (i.e. locomotor skills and object-control skills) of children with borderline and mild ID (Frey & Chow, 2006; Hartman et al., 2010; Simons et al., 2008; Zhang, 2001), none of these studies focused on specific skills like running, jumping, catching, and throwing. The question remains, therefore, whether all gross motor skills are impaired in children with ID or only the relatively more complex skills. More specific information about the gross motor performance of children with ID may provide useful knowledge for physical education teachers and could be utilized in the development of motor interventions for this population.

That some motor tasks may lead to more problems for children with ID may be related to the extent to which cognitive information is necessary for successful execution of the task. Complex motor tasks are expected to be more strongly related to children's cognitive functioning than simple motor tasks (Planinsčec, 2002; Planinsčec & Pišot, 2006). Complex motor skills can be described as open skills, which are more dependent on factors in the environment for example external objects and other players, than simple motor skills (Wall, 2004). With regard to gross motor skills, locomotor skills are generally supposed to be more automatized and less dependent on cognitive functioning, while the execution of object-control skills are supposed to require more involvement of cognitive processes (Latash & Turvey, 1996).

Gross motor skills are involved in many physical activities and are prerequisites for the performance of sport-specific skills (Barnett, van Beurden, Morgan, Brooks, & Beard, 2009; Graf et al., 2004; Okely, Booth, & Patterson, 2001; Wrotniak, Epstein, Dorn, Jones, & Kondilil, 2006). Previous studies have shown a positive relationship between gross motor skills and organized sports participation in typically developing children (Barnett et al., 2009; Okely et al., 2001; Ulrich, 1987), in deaf children (Hartman, Houwen, & Visscher,

2011), and in children with visual impairments (Houwen, Hartman, Lemmink, & Visscher, 2007). Childhood motor proficiency may thus be an important factor in organized sports participation. To our knowledge, no studies have examined whether there is a relationship between specific gross motor skills and organized sports participation in children with ID. Gaining insight into the relationship between specific motor items and participation in organized sports in children with ID may provide clues about which gross motor skills (e.g. running, jumping, catching or throwing) are most important in the participation in organized sports in this vulnerable population. Therefore, the present study focused on this relationship in a large sample of children with borderline and mild ID.

Although studies generally found a relationship between gross motor skills and organized sports participation, this relationship is generally weak-to-moderate. Fisher et al. (2005), however, have suggested that the relationship between these parameters might be stronger for children who have the lowest motor skill scores. We, therefore, expect a stronger relationship between gross motor skills and organized sports participation in children with ID compared to their typically developing peers, with the strongest relationship in children with mild ID.

Within the present study, we thus sought to identify differences in the specific gross motor skills in a large sample of children with borderline and mild ID and typically developing children. From the literature, it has been established that children with borderline and mild ID had poor gross motor performance than typically developing children (Frey & Chow, 2006; Hartman et al., 2010; Simons et al., 2008; Zhang, 2001). Therefore, a lower performance on these skills can be expected, however, it would be interesting to know whether all specific gross motor skills are impaired. When children have limited cognitive functioning, like in children with borderline and mild ID, the complexity of the task would affect performance. As object-control skills are generally more complex than locomotor skills (Houwen et al. 2007), we hypothesized a difference in performance on these skills. Additionally, this study also aimed to examine the relationship between the specific gross motor skills and organized sports participation in both groups.

Material and methods

Participants

The children with ID, aged between 7 and 12 years, were recruited from two primary special-needs schools located in the northern Netherlands. Children who were also diagnosed with Attention Deficit Hyperactivity Disorder ($n = 14$) or Autism Spectrum Disorders ($n = 14$) were excluded from the study sample. The definitive study sample consisted of 156 children (104 boys and 52 girls) with a mean age of 9.5 years (SD 1.5). Based on the information provided in their individual school files, the study sample included 88 children with borderline ID (56 boys and 32 girls; mean age 9.5, SD 1.6) and 68 children with mild ID (48 boys and 20 girls; mean age 9.6, SD 1.3). The mean IQ of the children with borderline ID was 75.3 (SD 2.6; range 71-79) and the mean IQ of the children with mild ID was 65.0 (SD 4.5; range 50-70).

We recruited 255 typically developing children (138 boys and 117 girls), aged between 7 and 12 years (mean age 9.7 years; SD 1.3) attending two mainstream schools in

the same region as a reference group. The children's age was appropriate to their grade level, indicating that their ability on academic performance was in the normal range (i.e. the expected level in relation to their learning experiences).

The three groups (borderline ID, mild ID, and typically developing children) did not statistically differ from each other on age ($F(2,408) = 1.244, p = .289$), but the amount of boys and girls in the three groups differed significantly ($F(2,408) = 3.566, p = .029$): there were significantly more boys in the ID groups compared to the group of typically developing children.

The parent(s) provided informed consent for their children's participation and all procedures were in accordance with the ethical standards of the Faculty of Medical Sciences of the University Medical Centre Groningen, University of Groningen.

Test of Gross Motor Development-2 (TGMD-2)

The TGMD-2 (Ulrich, 2000) is a qualitative measure to assess 12 gross motor skills divided into locomotor skills (run, gallop, hop, leap, jump, and slide) and object-control skills (two-hand strike, stationary bounce, catch, kick, overhand throw, and underhand roll). Each skill is executed twice and evaluated on the basis of the presence (success; score 1) or absence (failure; score 0) of three to five qualitative performance criteria. The highest total raw score for the two subtests is 48 points. The higher the subtest score, the better the performance.

The TGMD-2 has good psychometric qualities to assess the gross motor skill performance of typically developing children (Evaggelinou, Tsigilis, & Papa, 2002; Ulrich, 2000) and children with impairments, among which children with visual impairments (Houwen, Hartman, Jonker, & Visscher, 2010) and children with mild ID (Simons et al., 2008).

Sports participation

We used a self-report measure to assess the children's participation in organized sports. Organized sports were defined as those performed under the supervision of a trainer on a regular weekly basis within a sports club setting (Houwen et al., 2007; Okely et al., 2001). The questionnaire included questions about the membership of a sports club and the type of sports in which they were involved. The self-report measurement was administered individually with assistance of the researcher. The reliability and validity of the questionnaire had been tested in a pilot study in a population of children with ID ($n = 44$; aged 6 to 12). The test-retest reliability of the questionnaire for the question 'membership of a sports club' was "very good" (Cohen's Kappa = 1.0).

Data analysis

The statistics were performed using SPSS software (version 16.0) and the significance level was set at .05. The TGMD-2 locomotor and object-control subtest raw scores and the specific raw motor skill scores were the dependent variables. The three study groups were: 1) children with borderline ID, 2) children with mild ID, and 3) typically developing children.

To analyse between-group differences, ANCOVAs were conducted on the TGMD-2

locomotor and object-control subtests scores and the specific motor skill scores, controlling for sex.

To identify relationships between gross motor skills and organized sports participation, we tested for differences on the TGMD-2 outcomes between children who participated in organized sports and children who did not, using independent *t*-tests. These analyses were conducted for the three study groups (borderline ID, mild ID, and typically developing children) separately.

To determine the meaningfulness of group effects, correlational effect sizes were calculated for each dependent variable in accordance with Rosnow, Rosenthal, and Rubin (2000). An effect size correlation of $r = .10$ was defined as small, $r = .30$ as moderate, and an effect size of $r = .50$ as large (Field, 2005).

Results

Gross motor skill outcomes

The TGMD-2 locomotor and object-control subtest scores of the three groups are presented in Tables 2.1 and 2.2. Significant differences were obtained between both ID groups and the typically developing children on both TGMD-2 subtests. The children with mild ID and borderline ID scored significantly lower than the typically developing children, with effect sizes being large for the mild ID group (locomotor skills $r = .52$, object-control skills $r = .56$) and moderate-to-large for the borderline ID group (locomotor skills $r = .40$, object control-skills $r = .50$). Furthermore, the children with mild ID scored lower on the locomotor subtest ($r = .24$) in comparison with the children with borderline ID, but not on the object-control subtest ($r = .13$).

From the analyses per test item it appeared that the children with mild ID scored significantly lower on all test items compared to typically developing children, except the gallop and the throw. The effect sizes were large for the run, the slide, and the roll. The children with borderline ID also scored significantly lower on most test items than their typically developing peers, except on the gallop, the throw, and the jump. The effect sizes were large for the run and the roll. The analyses, further, showed that children with mild ID had significantly lower scores on the leap, the jump, and the slide compared to the borderline ID group. On the run, gallop, and hop and all object-control skills no significant difference were found between both ID groups.

Table 2.1 Estimated mean TGMD-2 locomotor and object-control subtest scores for the three study groups

	Children with mild ID		Children with borderline ID		Typically Developing Children	
	n = 68		n = 88		n = 255	
	M ¹	SE	M ¹	SE	M ¹	SE
Locomotor	34.5 ^{ab}	.61	36.9 ^{ac}	.41	40.7 ^{bc}	.24
Run	5.9 ^b	.14	5.8 ^c	.14	7.4 ^{bc}	.08
Gallop	5.9	.21	6.2	.19	6.2	.11
Hop	7.4 ^b	.20	7.7 ^c	.17	8.3 ^{bc}	.10
Leap	4.0 ^{ab}	.14	4.5 ^{ac}	.12	4.9 ^{bc}	.07
Jump	5.5 ^{ab}	.18	6.1 ^a	.15	6.4 ^b	.09
Slide	5.8 ^{ab}	.14	6.6 ^{ac}	.11	7.6 ^{bc}	.06
Object-control	31.8 ^b	.56	33.2 ^c	.51	39.5 ^{bc}	.30
Strike	6.1 ^b	.22	6.5 ^c	.19	7.9 ^{bc}	.11
Bounce	5.9 ^b	.19	6.2 ^c	.18	7.1 ^{bc}	.11
Catch	4.6 ^b	.11	4.9 ^c	.10	5.5 ^{bc}	.06
Kick	5.5 ^b	.16	5.6 ^c	.13	6.9 ^{bc}	.08
Throw	5.1	.23	5.3	.20	5.5	.12
Roll	4.7 ^b	.17	4.7 ^c	.15	6.7 ^{bc}	.09

¹ Statistically adjusted for sex

a, b, c Groups with the same letter were significantly different

Table 2.2 Comparisons of the three study groups on the gross motor skills

	Mild ID vs typically developing			Borderline ID vs typically developing			Mild ID vs borderline ID		
	<i>F</i>	<i>p</i>	<i>r</i>	<i>F</i>	<i>p</i>	<i>r</i>	<i>F</i>	<i>p</i>	<i>r</i>
Locomotor	119.682	.000	.52	64.705	.000	.40	9.248	.003	.24
Run	92.982	.000	.48	93.548	.000	.46	.079	.779	.02
Gallop	1.287	.257	.06	.110	.915	.02	1.858	.175	.11
Hop	14.803	.000	.21	8.451	.004	.16	1.509	.221	.10
Leap	30.199	.000	.29	9.421	.002	.16	6.919	.009	.21
Jump	20.090	.000	.24	3.498	.062	.10	7.402	.007	.21
Slide	126.313	.000	.53	58.768	.000	.38	8.880	.003	.23
Object-control	149.964	.000	.56	117.605	.000	.50	2.325	.129	.12
Strike	52.621	.000	.38	38.159	.000	.32	2.742	.100	.13
Bounce	29.828	.000	.29	19.420	.000	.23	.450	.503	.05
Catch	57.919	.000	.39	28.046	.000	.27	3.361	.069	.15
Kick	62.376	.000	.41	70.034	.000	.41	.293	.589	.04
Throw	3.783	.053	.11	.934	.335	.05	1.448	.231	.09
Roll	95.397	.000	.48	129.400	.000	.52	.032	.858	.01

Sports participation

Thirty-nine percent (26 children) of the children with mild ID participated in organized sports at least once a week, 36% (30 children) of the children with borderline ID, and 84% (200 children) of the typically developing children. The children with ID (both borderline and mild) were significantly less likely than their typically developing peers to participate in a organized sports ($F(2,385) = 55.69, p = .000$). Eight percent (2 children) of the mild ID group participated at least two different sports, 20% (6 children) of the borderline ID group, and 43% (86 children) of the typically developing peers. The three most mentioned sports reported by children with mild ID were soccer (65.4%), gymnastics (7.7%), and swimming (7.7%). The children with borderline ID participated mostly in soccer (40%), gymnastics (17%), and basketball or judo/karate (10%) and the typically developing children in soccer (41%), gymnastics (16.5%), and volleyball (10%).

Relationship between gross motor skills and sports participation

Table 2.3 presents mean scores for the TGMD-2 subtests of the children who participated in sports and those who did not per group (mild ID, borderline ID, typically developing). In the mild ID group, the object-control subtest scores of the children who participated in sports were significantly higher than the scores for those who did not participate in sports, with a moderate-to-large effect size ($r = .45$). The analyses per test item demonstrated that the sports participants scored significantly higher on the bounce

($r = .28$), the catch ($r = .31$), and the roll ($r = .33$). The locomotor skill scores between sports participants and non-participants were not significantly different in the mild ID group.

In the children with borderline ID, significant differences were found for the object-control skill subtest between sports participants and non-participants: children who participated in sports had significant higher scores than those who did not participate, with a small effect size ($r = .21$). From the analyses per test item it revealed that those who participated in sports had significantly higher scores on the strike ($r = .21$). The locomotor skills scores between the sports participants and the non-participants were not significantly different.

In the typically developing children, the object-control scores of the children who participated in sports were significantly higher than the scores for those who did not participate in sports, with effect size being small ($r = .14$). The analyses per test item showed that sports participants scored significantly higher on the kick ($r = .30$) and the overhand throw ($r = .15$). No significant differences were found on the locomotor subtest scores.

Table 2.3 Estimated mean TGMD-2 locomotor and object-control subtest scores for the children of the three study groups who participate in sports and those who do not participate in sports

	Children with mild ID			Children with borderline ID			Typically developing children		
	Sport Yes	Sport No	<i>p</i>	Sport Yes	Sport No	<i>p</i>	Sport Yes	Sport No	<i>p</i>
	<i>n</i> = 26	<i>n</i> = 40		<i>n</i> = 30	<i>n</i> = 53		<i>n</i> = 200	<i>n</i> = 39	
	<i>M</i> (<i>SD</i>)	<i>M</i> (<i>SD</i>)		<i>M</i> (<i>SD</i>)	<i>M</i> (<i>SD</i>)		<i>M</i> (<i>SD</i>)	<i>M</i> (<i>SD</i>)	
Locomotor	35.6 (5.5)	33.2 (5.6)	.088	37.3 (4.4)	36.2 (4.6)	.159	40.9 (3.9)	40.1 (3.9)	.233
Run	6.3 (1.6)	5.6 (1.7)	.139	5.7 (2.4)	5.8 (1.8)	.907	7.4 (1.0)	7.5 (.89)	.576
Gallop	6.0 (1.3)	5.6 (1.7)	.295	6.2 (1.8)	6.1 (1.6)	.958	6.2 (1.9)	6.0 (1.6)	.456
Hop	7.6 (1.7)	7.2 (1.7)	.399	7.8 (1.7)	7.6 (1.2)	.478	8.3 (1.6)	8.3 (1.6)	.895
Leap	3.8 (1.5)	3.9 (.83)	.562	4.5 (1.0)	4.4 (1.1)	.720	5.0 (1.1)	4.5 (1.5)	.050
Jump	5.7 (1.8)	5.3 (1.3)	.316	6.2 (1.6)	6.0 (1.2)	.553	6.4 (1.5)	6.5 (1.5)	.872
Slide	6.2 (1.8)	5.4 (1.9)	.080	6.9 (1.2)	6.3 (1.5)	.068	7.6 (.78)	7.4 (1.3)	.258
Object-control	35.2 (5.4)	30.3 (5.6)	.001*	35.0 (6.4)	32.2 (5.9)	.044*	39.9 (4.4)	38.1 (4.9)	.036*
Strike	6.7 (2.0)	5.8 (1.9)	.056	7.1 (1.9)	6.2 (1.8)	.043*	7.8 (1.8)	8.0 (1.7)	.602
Bounce	6.7 (1.5)	5.5 (2.1)	.018*	6.7 (2.1)	5.8 (2.2)	.065	7.2 (1.4)	7.1 (1.4)	.670
Catch	5.0 (1.0)	4.3 (1.2)	.009*	5.2 (.90)	4.8 (1.3)	.056	5.6 (.80)	5.4 (.86)	.362
Kick	6.1 (1.7)	5.4 (1.6)	.079	5.9 (1.5)	5.5 (1.3)	.228	7.0 (1.3)	5.9 (1.6)	.000*
Throw	5.5 (1.6)	5.0 (1.5)	.202	5.4 (2.0)	5.3 (1.6)	.803	5.6 (2.0)	4.8 (2.1)	.020*
Roll	5.2 (1.5)	4.4 (1.3)	.021*	4.7 (1.3)	4.6 (1.4)	.713	6.6 (1.4)	7.0 (1.4)	.154

* significant at $p < .05$

Discussion

This study compared the specific gross motor skills of children with ID with those of typically developing peers and examined whether all specific gross motor skills were impaired in children with ID. Additionally, the relationship between the specific gross motor skills and organized sports participation was examined in both groups. Compared to their typically developing counterparts, children with borderline and mild ID scored significantly lower on both the locomotor and object-control skills as assessed with the TGMD-2. That children with ID had lower gross motor skill scores compared to typically developing children is consistent with the studies of Frey and Chow (2006), Hartman et al. (2010), Simons et al. (2008), and Zhang (2001). However, these studies have only focused on the overall performance of locomotor skills and object-control skills without focusing on the specific skill items. Moreover, most of these studies were restricted to children with mild ID.

The present study compared the scores of the children with borderline and mild ID and revealed that the borderline ID group were less impaired on the locomotor skills than the mild ID group, but that their performance on the object-control skills was comparable. This result shows that even a small problem in intellectual functioning leads to poor object-control skills. As stated before, the execution of object-control skills is assumed to be more complex and require more cognitive functioning than locomotor skills (Latash & Turvey, 1996; Planinsĉ, 2002; Planinsĉ & Piřot, 2006). Object-control skills are generally practised in complex play and sport settings that require adaptation to changing environmental circumstances (Houwen, et al., 2007). Complex and novel situations rely strongly on executive functioning (Diamond, 2000). However, executive functions are less important in simple, automatized skills or in less complex situations. Executive functions are abilities of goal formation and planning, and the effective execution of goal-directed plans (Jurado & Rosselli, 2007) and play a critically role in the overall cognitive functioning (Isquith, Crawford, Espy, & Gioia, 2005). As children with borderline and mild ID show deficits in their executive functioning (Hartman et al. 2010), performance in complex situations is assumed to be difficult for children with ID. It may, therefore, that children with ID had more problems with object-control skills than with locomotor skills.

The analyses per specific motor item showed that children with borderline and mild ID scored lower on most specific items compared to the typically developing children. The effect sizes indicated that some motor skills were more affected than other skills. Looking in more detail into the specific motor items, we found that the children with borderline and mild ID had particular difficulties with some performance criteria. Generally, they had problems with coordinating movements that involved both sides of their body or both upper and lower extremities. For example, during the leap many children showed problems with the forward reach with their arm opposite of their leading foot. During the horizontal jump very few children used their arms during the jump (their arms should swung forcefully forwards and upwards while jumping). Also during the overhand throw and rolling, children did not move their arm opposite to their leg. In addition, children had difficulty to rotating their body, for example during the overhand throw. Taken all together, our results suggest that children with ID had particularly motor problems related to timing and coordination of movement sequences. It seems that children with ID are

able to perform simple movements, but when more parts of the body were involved simultaneously, it causes problems for children with borderline and mild ID.

Our sport participation results indicated that children with borderline and mild ID who participated in sports had higher object-control skill scores than children who did not. This relationship was not found for locomotor skill scores. These results are in line with studies in deaf children (Hartman et al., 2011) and in children with visual impairments (Houwen et al., 2007). An explanation for the finding in the present study might be that 50-70% of the children with ID who participated in sports participated in ball sports. This indicates, on the one hand, that higher levels of object-control skills might have positively influenced organized sports participation of these children. On the other hand, participation in ball games may result in higher levels of object-control skills in children (Barnett, Morgan, van Beurden, Ball, & Lubans, 2010). Barnett et al. (2010) showed in their study that object-control skill performance and physical activity were reciprocal related. However, these reciprocal relationship between both parameters would be affected by age (Stodden et al., 2008). During physical activity young children (early childhood) may develop their gross motor skills, but when children grow older (middle and later childhood) the relationship between both components might change: competence in gross motor skills may be an important condition to engage in various physical activities and sports (Stodden et al., 2008).

The present study shows that children who participated in sports had higher object-control scores, but that their scores did not attain the performance level of the typically developing children. Therefore, we argue that extra training, preferably task-specific (Pless & Carlsson, 2000; Revie & Larkin, 1993; Wilson, 2005) is recommended to improve the gross motor skills of children with borderline and mild ID. Furthermore, we suggest that the development of these skills should be an important component of the physical education lessons at all primary-schools to promote long-term physical activity and sports participation (Stodden et al., 2008; Wall, 2004).

In typically developing children, we also found a relationship between object-control skills and organized sports participation. However, the effect sizes in the children with ID, especially in the children with mild ID, were higher than those in the typically developing children, indicating that the relationship between these two parameters in the ID group was stronger than in the typically developing group. This finding is in accordance with Fisher et al. (2005), who suggested that the relationship between gross motor skills and sports participation is stronger in children with the lowest motor skill scores.

A limitation of the present study was that our results give no insight into the causality of the relationship that was found: do higher levels of object-control skills lead to more sports participation or vice versa? We suggest that object-control skills and sports participation are reciprocally associated as Barnett et al. (2010) have found in typically developing children, but this relationship would be affected by age (Stodden et al., 2008). Although we do not provide a causal relationship for this promise, our results support the hypothesis that well-developed object-control skills may lead to more participation in organized sports (Barnett et al., 2009). Intervention studies are recommended to reveal whether there is a real cause-effect relationship between object-control skills and participation in organized sports in children with borderline and mild ID.

Conclusion

The present study extends the small body of research on the gross motor skills of children with ID by including a large group of children with borderline and mild ID and by giving more specific information on their performance. This study shows that primary-school-age children with borderline and mild ID perform worse than typically developing children on almost all specific gross motor skills. Furthermore, children with mild ID had lower locomotor scores than children with borderline ID. The positive relationship that was found between object-control skills and organized sports participation in intellectually challenged children and in typically developing children supports the notion that higher levels of these motor skills might contribute positively to children's sports participation. The development of object-control skills should, therefore, be an important component in physical education programs in primary-schools.

References

- American Association on Intellectual and Developmental Disabilities. Retrieved, February 12, 2010, from http://www.aamr.org/content_100.cfm?navID=21.
- Barnett, L. M., van Beurden, E., Morgan, P. J., Brooks, L. O., & Beard, J. R. (2009). Childhood motor skill proficiency as a predictor of adolescent physical activity. *The Journal of Adolescent Health, 44*, 252-259.
- Barnett, L. M., Morgan, P. J., van Beurden, E., Ball, K., & Lubans, D. R. (2010). A reverse pathway? Actual and perceived skill proficiency and physical activity [published online ahead of print September 17, 2010]. *Medicine & Science in Sports & Exercise*, doi 10.1249/MSS.0b013e3181fdadd.
- Central Bureau of Statistics. Retrieved, Retrieved December 12, 2010, from www.statline.cbs.nl.
- Diamond, A. (2000). Close interrelation of motor development and cognitive development and of the cerebellum and prefrontal cortex. *Child Development, 71*, 44-56.
- Evaggelinou, C., Tsigilis, N., & Papa, A. (2002). Construct validity of the test of gross motor development: a cross-validation approach. *Adapted Physical Activity Quarterly, 19*, 483-495.
- Field, A. (2005). *Discovering statistics using SPSS* (2nd ed.). London: SAGE Publications.
- Fisher, A., Reilly, J. J., Kelly, L. A., Montgomery, C., Williamson, A., Paton, J. Y., & Grant, S. (2005). Fundamental movement skills and habitual physical activity in young children. *Medicine & Science in Sports & Exercise, 37*, 648-688.
- Frey, G. C., & Chow, B. (2006). Relationship between BMI, physical fitness, and motor skills in youth with mild intellectual disabilities. *International Journal of Obesity, 30*, 861-867.
- Graf, C., Koch, B., Kretschmann-Kandel, E., Falkowski, G., Christ, H., Coburger, S., et al. (2004). Correlation between BMI, leisure habits and motor abilities in childhood (Child-project). *International Journal of Obesity, 28*, 22-26.
- Hartman, E., Houwen, S., Scherder, E., & Visscher, C. (2010). On the relationship between motor performance and executive functioning in children with intellectual disabilities. *Journal of Intellectual Disability Research, 54*, 468-477.
- Hartman, E., Visscher, C., & Houwen S. (2011). Motor skill performance and sports participation in deaf elementary schoolchildren. *Adapted Physical Activity Quarterly, 28*, 132-145.
- Houwen, S., Hartman, E., Jonker, L., & Visscher, C. (2010). Reliability and Validity of the TGMD-2 in Primary-School-Age Children With Visual Impairments. *Adapted Physical Activity Quarterly, 27*, 143-159.
- Houwen, S., Visscher, C., Hartman, E., & Lemmink, K. A. P. M. (2007). Gross motor skills and sports participation of children with visual impairments. *Research Quarterly for Exercise and Sport, 78*, 16-23.
- Isquith, P. K., Crawford, J. S., Espy, K. A., & Gioia, G. A. (2005). Assessment of executive function in preschool-aged children. *Mental Retardation and Developmental Disabilities Research Reviews, 11*, 209-215.
- Jurado, M. B., & Roselli, M. (2007). The elusive nature of executive functions: a review of our current understanding. *Neuropsychology Review, 17*, 213-233

- Latash, M. L., & Turvey, M. T. Eds. (1996). Levels of construction of movements. In *Dexterity and its development* (pp 115-170). Mahwah, NJ: Lawrence Erlbaum Associations, Inc., Publishers.
- Okely, A. D., Booth, M. L., & Patterson, J. W. (2001). Relationship of physical activity to fundamental movement skills among adolescents. *Medicine & Science in Sports & Exercise*, *33*, 1899-1904.
- Piek, J. P., Dawson, L., Smith, L. M., & Gasson, N. (2008). The role of early fine and gross motor development on later motor and cognitive ability. *Human Movement Science*, *27*, 668-681.
- Planinsč, J. (2002). Developmental changes of relations between motor performance and fluid intelligence. *Studia Psychologica*, *44*, 85-94.
- Planinsč, J., & Pišot, R. (2006). Motor coordination and intelligence level in adolescents. *Adolescence*, *41*, 667-676.
- Pless, M., & Carlsson, M. (2000). Effects of motor skill intervention on developmental coordination disorder: a meta-analysis. *Adapted Physical Activity Quarterly*, *17*, 381-401.
- Pratt, H. D., & Greydanus, D. E. (2007). Intellectual disability (mental retardation) in children and adolescents. *Primary Care*, *34*, 375-86.
- Revie, G., & Larkin, D. (1993). Task-specific intervention with children reduces movement problems. *Adapted Physical Activity Quarterly*, *10*, 29-41.
- Rosnow, R. L., Rosenthal, R., & Rubin, D. B. (2000). Contrasts and correlations in effect-size estimation. *American Psychological Society*, *11*, 446-453.
- Salvador, L., & Bertelli, M. (2008). 'Mental Retardation' or 'Intellectual Disability': Time for a Conceptual Change. *Psychopathology*, *41*, 10-16.
- Schalock, R. L., Luckasson, R. A., & Shogren, K. A. (2007). The Renaming of "Mental Retardation": Understanding the Change to the Term "Intellectual Disability". *American Journal of Intellectual and Developmental Disabilities*, *45*, 116-124.
- Simons, J., Daly, D., Theodorou, F., Caron, C., Simons, J., & Andoniadou, E. (2008). Validity and reliability of the TGMD-2 in 7-10 year old Flemish children with intellectual disability. *Adapted Physical Activity Quarterly*, *25*, 71-82.
- Son, S. H., & Meisels, S. J. (2006). The relationship of young children's motor skills to later reading and math achievement. *Merrill-Palmer Quarterly*, *52*, 755-778.
- Stodden, D. F., Goodway, J. D., Langendorfer, S. J., Robertson, M. A., Rudisill, M. E., Garcia, C., & Garcia, L. E. (2008). A developmental perspective on the role of motor skill competence in physical activity: an emergent relationship. *Quest*, *60*, 290-305.
- Ulrich, B. D. (1987). Perceptions of physical competence, motor competence, and participation in organized sport: their interrelationships in young children. *Research Quarterly for Exercise and Sport*, *58*, 57-67.
- Ulrich, D. A. (2000). *Test of Gross Motor Development* (2nd ed.). Austin, TX: Pro-Ed.
- Vuijk, P. J., Hartman, E., Scherder, E., & Visscher, C. (2010). Motor performance of children with mild intellectual disability and borderline intellectual functioning. *Journal of Intellectual Disability Research*, *54*, 955-965.
- Wall, A. E. T. (2004). The developmental skill-learning gap hypothesis: implications for children with movement difficulties. *Adapted Physical Activity Quarterly*, *21*, 197-

218.

- Watkinson, E. J., Causgrove Dunn, J., Cavaliere, N., Calzonetti, K., Wilhelm, L., & Dwyer, S. (2001). Engagement in playground activities as a criterion for diagnosing developmental coordination disorder. *Adapted Physical Activity Quarterly*, *18*, 18-34.
- Wilson, P. H. (2005). Practitioner review: approaches to assessment and treatment of children with DCD: an evaluative review. *Journal of Child Psychology and Psychiatry*, *46*, 806-823.
- Wrotniak, B. H., Epstein, L. H., Dorn, J. M., Jones, K. E., & Kondilis, V. A. (2006). The relationship between motor proficiency and physical activity in children. *Pediatrics*, *118*, e1758-e1765.
- Zhang, J. (2001). Fundamental motor skill performances of children with ADD, LD, and MMR- a pilot study. *Palaestra*, 7-9.

Chapter 3

The relationship between gross motor skills and academic achievement in children with learning disabilities

Marieke Westendorp
Esther Hartman
Suzanne Houwen
Joanne Smith
Chris Visscher

Abstract

The present study compared the gross motor skills of 7- to 12-year-old children with learning disabilities (n = 104) with those of age-matched typically developing children (n = 104) using the Test of Gross Motor Development-2. Additionally, the specific relationships between subsets of gross motor skills and academic performance in reading, spelling, and mathematics were examined in children with learning disabilities. As expected, the children with learning disabilities scored poorer on both the locomotor and object-control subtests than their typically developing peers. Furthermore, in children with learning disabilities a specific relationship was observed between reading and locomotor skills and a trend was found for a relationship between mathematics and object-control skills: the larger children's learning lag, the poorer their motor skill scores. This study stresses the importance of specific interventions facilitating both motor and academic abilities.

Keywords: Fundamental movement skills, primary-school-age, reading, spelling, mathematics

Introduction

It is generally agreed that there is a relationship between motor ability and cognitive development. Research has shown that well-developed gross motor capacities facilitate children's cognitive functioning (Burns, O'Callaghan, McDonell, & Rogers, 2004; Bushnell & Boudreau, 1993; Murray et al., 2006; Piek, Dawson, Smith, & Gasson, 2008) and more specifically their academic abilities in reading, language, and mathematics (Son & Meisels, 2006; Viholainen, Ahonen, Lyytinen, Cantell, Tolvanen, & Lyytinen, 2006). From a neuropsychological perspective, there are several explanations for the co-occurrence of motor and cognitive performance. First of all, motor and cognitive functions are coupled through using the same brain structures (Diamond, 2000). For example, the cerebellum is involved in both motor and cognitive functions and the pre-frontal cortex plays an important role in cognitive functioning as well as in motor performance through the strong neural connections between these two brain areas. Dysfunction of these brain structures or the neural pathways may express itself in motor problems as well as in cognitive problems (Diamond, 2000). A second explanation is that motor and cognitive functions seem to follow a similar developmental timetable with an accelerated development between 5 and 10 years of age (Ahnert, Bös, & Schneider, 2003; Anderson, 2002; Gabbard, 2008). A final factor that may account for the co-occurrence of motor and cognitive functions is that both functions have several common underlying processes for example sequences (Hartman, Houwen, Scherder, & Visscher, 2010), monitoring and planning (Roebbers & Kauer, 2009; Sergeant, 2000).

As gross motor proficiency is assumed to foster academic abilities (Son & Meisels, 2006; Viholainen et al., 2006), it is especially important that children with problems in academic achievement have sufficient proficiency in gross motor skills. Children who have major problems in academic skills are children with learning disabilities (LD). These children have deficits in one or more domains of academic achievement, such as reading disorders, mathematical disorders, and/or disorders of written expression (American Psychiatric Association, 2000). In addition, children with LD generally have poor gross motor skills compared to their typically developing peers (Woodard & Surburg, 2001; Zhang, 2001). Using the Test of Gross Motor Development-2 (TGMD-2; Ulrich, 2000), Woodard and Surburg (2001) found that children with LD ($n = 22$), aged between 6 and 8 years, obtained lower scores on both TGMD-2 subtests than typically developing children. Furthermore, Zhang (2001) found a small sample of 6-10 year-olds with LD ($n = 7$) that also scored poorer on the locomotor subtest and average on the object-control subtest relative to the normative TGMD-2 data. Both studies, however, had small sample sizes and focused on a general relation between motor performance and LD, without taking into account that LD is a heterogeneous condition including reading disorders, mathematical disorders, and/or disorders of written expression (American Psychiatric Association, 2000). Vuijk, Hartman, Mombarg, Scherder & Visscher (2011) suggest that the relationship between motor skills and LD may in fact vary depending on the different areas of academic performance (i.e. reading, spelling, and mathematics) and the kind of motor skill. If this is the case then, it is important to investigate the specific relations between the different subsets of gross motor skills (i.e. locomotor skills and object-control skills) and the different domains of academic performance (i.e. reading, spelling, and mathematics)

in children with LD rather than a general relation between LD and motor performance.

To date, research examining the relationship between different subsets of gross motor skills and the different domains of academic achievement in children with LD is limited. A study in children with dyslexia (i.e. a specific reading disorder) showed they scored lower on the balance test of the Movement Assessment Battery for Children (Movement ABC; Henderson & Sudgen, 1992) than their typically developing counterparts. No differences were found on the other Movement ABC items and the TGMD-2 (Getchell, Pabreja, Neeld, & Carrio, 2007). Another study on children with reading disorders aged 9-10 years has shown that children who experienced more reading difficulties scored lower on the Movement ABC balance test than children with less reading difficulties (McPhilips & Sheehy, 2004). Furthermore, a recent study of Vuijk et al. (2011) studied the motor skills of 7- to 12-years-old children with LD with co-morbid developmental disorders like Attention Deficit Hyperactivity Disorder or Autism Spectrum Disorders. This study revealed positive correlations (i.e. the lower the motor skill performance, the larger the learning lag) between balance and mathematics and between ball skills and reading, using the Movement ABC.

To summarise, studies examining specific relationships between motor skills and academic performance in children with LD are limited, were mainly restricted to children with reading disorders, and showed inconsistent results. The present study, therefore, will examine in a large sample of children with LD whether there are specific relationships between different subsets of gross motor skills and the different domains of academic performance. Understanding the specific relationship between gross motor skills and academic achievement in children with LD will provide valuable insight for the field of special education. It could be utilized in the development of intervention programs for this population, since evidence suggest that gross motor performance facilitates academic abilities (Son & Meisels, 2006; Viholainen et al., 2006). Successful implementation of such programs could indeed contribute to reducing the gross motor problems and may stimulate the development of academic abilities in children with LD during their primary-school-years.

The aims of present study were twofold. Initially, we sought to identify differences in gross motor performance in a large sample of primary-school-age children with LD and typically developing children. The main goal was to investigate in children with LD whether specific relationships between different subsets of gross motor skills (i.e. locomotor skills and object-control skills) and different domains of academic performance (i.e. reading, spelling, and mathematics) could be established.

Material and methods

Participants

We recruited 144 children, aged between 7 and 12 years old, all with confirmed learning disabilities from two primary special-needs schools located in the northern Netherlands. Forty children were subsequently excluded because their individual school files stated they were also diagnosed with Attention Deficit Hyperactivity Disorder or Autism Spectrum Disorders. The final study sample comprised 104 children (69 boys and 35 girls) with a mean age of 10.1 years (SD 1.4; range 7-12). Based on the information

provided in their individual school files, the children's mean intelligence quotient was 89.9 (SD 7.6; range 80-114). All children were Caucasian.

To collect gross motor skill reference values for the LD group, we recruited 104 aged- matched typically developing peers (61 boys and 43 girls) with a mean age 10.1 years (SD 1.4; range 7-12) attending two mainstream schools in the same region. The children's grade level was appropriate to their age. The two groups (children with LD and typically developing children) did not statistically differ from each other on gender ($F(1,207) = 1.308, p = .254$).

The parent(s) provided informed consent for their children's participation and all procedures were in accordance with the ethical standards of the Faculty of Medical Sciences of the University Medical Centre Groningen, University of Groningen.

Instruments

Child Academic Monitoring System

For each child we screened the so-called Child Academic Monitoring System (CAMS), a record each primary school in the Netherlands keeps and which provides an overview of a child's progress in academic skills. First, the CAMS provides the didactical age (DA), expressed as the months of formal education [starting from group 3 (i.e. age 6 to 7)] a child has received with a full school year consisting of 10 didactical months (excl. two months summer vacation) and the entire primary school period of a total of 60 months. When a child stays back a group, 10 months are added to the total DA, but when a child doubles the final group (i.e. age 11 to 12), the total DA will remain 60 months. For example, a child attending group 5 (i.e. age 8 to 9) that has progressed without staying back and is tested early February will have a DA of 25 months based on 20 months in group 3 and 4, and another 5 months (September to February) in group 5.

Second, the CAMS states the child's didactical age equivalent (DAE) on reading, spelling, and mathematics. Every child is tested twice a year on reading, spelling, and mathematics. The raw scores on the academic tests can be converted into norm scores, the DAE. The DAE represents the performance of an average pupil at that time. For example, a DAE of 20 on reading represents an average reading performance at the end of group 4 (i.e. 20 months education). The relation between the DA and the DAE is so-called learning efficiency. The learning efficiency is 100 % when the DA and DAE are equal.

Based on the DA and DAE the learning lag per academic domain could be calculated for each child using the following formula: learning lag = $1 - (DAE/DA)$. This formula explains the amount of material not mastered per academic domain and is an indication of failures in achievement (Cito, 2004). For example, a child with a learning lag of 0.35 on reading has not mastered 35% of the reading level it should normally have achieved given its DA. The CAMS of the children were not always complete, preventing us from extracting the learning lags for all 104 children. Based on the available learning lags, the mean learning lag for reading was 0.50 (SD .23; range 0.00 - 0.92; $n = 96$), the mean learning lag for spelling was 0.51 (SD .17; range 0.00 - 0.86; $n = 82$), and the mean learning lag for mathematics was 0.48 (SD .16; range 0.00 - 0.84; $n = 92$).

To assess children's reading abilities, the Dutch AVI (Analyse van Individualiseringsvormen or Analysis of Individual Word Forms; Visser van Laarhoven, & ter Beek, 1998) is

used. During the test the child is required to read out several short stories whose sentence structures and word complexity gradually increase in difficulty. The amount of mistakes (i.e. reading or spelling a word wrong, skipping, adding or replacing a word) and the time that is needed to read the text are scored. The total score depends on the amount of mistakes, the reading speed and the difficulty of the text. The reliability (r varied from .86-.93), the content validity, and the construct validity of the AVI test were good (Krom, Jongen, Verhelst, Kamphuis, & Kleintjes, 2010). To measure the development in spelling abilities the SVS (Schaal Vorderingen in Spellingvaardigheid or Improvements in Spelling Skills; Van den Bosch, Gillijns, Krom & Moelands, 1997) was used. The SVS is a pencil and paper task requiring the child to write down words of increasing complexity that are read out by the test leader. The raw score is the number of correct written words. The SVS reliability ($r \geq .80$), the content validity, and the construct validity were good (Moelands & Kamphuis, 2001). Mathematical skills are assessed by the WIG (Wereld in Getallen or World in Numbers; Huitema, 2001), requiring children to solve mathematical problems taken from everyday life. The WIG is a common method to teaching mathematics in the Netherlands.

Test of Gross Motor Development-2

The Test of Gross Motor Development-2 (TGMD-2) (Ulrich, 2000) is a qualitative measure to assess 12 gross motor skills divided into locomotor skills (run, gallop, hop, leap, jump, and slide) and object-control skills (two-hand strike, stationary bounce, catch, kick, overhand throw, and underhand roll). Each skill is executed twice and evaluated based on the presence (success; score 1) or absence (failure; score 0) of three to five qualitative performance criteria. The highest total raw score for both subtests is 48. The higher the (total) score, the better the performance. The raw scores can be converted into standardized scores per age group. In this study, however, the raw TGMD-2 scores were used, because the normative TGMD-2 data collected on children in the US may not be valid for Dutch children (Houwen, Visscher, Hartman, & Lemmink, 2007) and our data covered the performance of 11- to 12-year-old children, which ages fall outside the range of the TGMD-2 normative data.

The TGMD-2 has good psychometric qualities to assess gross motor skill performance of typically developing children, according to the test manual (Ulrich, 2000). The internal consistency, the test-retest, and the interrater reliability varied between .85 and .98 for both subtests and the total TGMD-2. The construct validity, measured with a confirmatory factor analysis, was good ($\chi^2 = 280.3$; GFI = .96; AGFI = .95) (Ulrich, 2000). Reliability and validity studies of the TGMD-2 in children with mild intellectual disabilities and learning disabilities showed similar values as reported by Ulrich (Simons, Daly, Theodorou, Caron, Simons, & Andoniadou, 2008; Zhang, 2001).

Data analysis

The statistics were performed using SPSS software (version 18.0) and the significance level was set at .05. To analyze between-group differences in motor performance (children with LD and typically developing children), independent t -tests were conducted on the TGMD-2 locomotor and object-control subtests raw scores. To

determine the meaningfulness of group effects, correlational effect sizes were calculated for each dependent variable in accordance with Rosnow, Rosenthal, and Rubin (2000). An effect size correlation of $r = .10$ was defined as small, $r = .30$ as moderate, and an effect size of $r = .50$ as large (Field, 2005).

For the children with LD, Pearson's correlations were conducted to examine the relationships between the different subsets of gross motor skills and the performance in reading, spelling, and mathematics (i.e. learning lags in reading, spelling, and mathematics). Following the correlations, hierarchical linear regression analyses were used to identify the relative influence of the independent variables (i.e. age, gender, reading, spelling, and mathematics) on the locomotor and object-control performance in children with LD. As age and gender are related to the object-control skills, and gender to the locomotor skills, they were entered in the regression model on the first step. The variables reading, spelling, and mathematics were entered in the second step in both regression models.

Results

Gross motor skill outcomes

In Table 3.1, the results of the independent *t*-tests for the two TGMD-2 subtests are presented for children with LD and typically developing children. The LD group scored significantly lower (reflecting poorer performance) on both subtests compared to the comparison group, with effect sizes being moderate-to-large.

Table 3.1 TGMD-2 locomotor and object-control subtest scores for the children with LD and the typically developing children

	Children with LD n=104		Typically developing children n = 104		<i>t</i>	<i>p</i>	<i>ES</i>
	<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>			
Locomotor	37.7	4.4	40.8	3.9	- 5.36	<.001	.47
Object-control	34.7	5.6	40.2	4.5	- 7.58	<.001	.61

Note: ES = Effect Size

Relationship between gross motor skills and academic performance in children with LD

Table 3.2 lists the correlations between the TGMD-subtests scores, the learning lags in reading, spelling, and mathematics, and age and gender. Significant correlations were obtained between reading and locomotor skills, spelling and locomotor skills, and gender and locomotor skills. Moreover, we found significant correlations between mathematics and object-control skills, gender and object-control skills, and age and object-control skills.

Table 3.2 Bivariate correlations between the TGMD-2 locomotor and object-control subtest scores, the learning lags in reading, spelling and mathematics, and age and gender in children with LD

	1	2	3	4	5	6	7
1 Locomotor	-	.27**	-.24*	-.22*	-.16	.14	.23*
2 Object-control		-	-.12	-.12	-.29**	-.35***	-.38***
3 Reading			-	.51***	.43***	-.11	-.08
4 Spelling				-	.38***	-.25*	-.11
5 Mathematics					-	-.27**	.07
6 Age						-	-.00
7 Gender							-

* $p < .05$, ** $p < .01$, *** $p < .001$

However, after the hierarchical regression analysis only reading performance was a significant predictor of the locomotor performance ($F = 5.881$, $B = -4.110$, $Beta = -.220$, $t = -2.058$, $p = .043$, 95% CI -8.087 to $-.133$) once gender was taken into account. The significant predictors explained 13.3% of the variance of locomotor performance, with gender accounting for 8.5% and reading performance for 4.8%. With regard to the object-control skills, none of the variables (i.e. reading $p = .522$, spelling $p = .259$, and mathematics $p = .052$) remained in the final model, when account for age and gender. However, there was a trend for mathematics as a predictor for object-control performance. Age and gender accounted for 20.8% of the variance of the object-control performance.

Discussion

This study addressed two main aims: i) to compare the gross motor skills of 104 children with LD with those of 104 age-matched typically developing children and ii) to examine whether specific relationships between different subsets of gross motor skills (i.e. locomotor skills and object-control skills) and the different domains of academic performance (i.e. reading, spelling, and mathematics) in children with LD could be established. Compared to their typically developing counterparts, the children with LD scored significantly lower on both locomotor and object-control skills as assessed with the TGMD-2. Our findings are in line with those of Woodard and Surburg (2001) and partly in line with Zhang (2001). Woodard and Surburg also obtained a poorer performance on both TGMD-2 subtests in 6-8 year old children with LD compared to typically developing children. Using normative TGMD-2 data, Zhang found 6- to 10-year-old children with LD only performed worse on the locomotor subtest. Note, however that the latter study only included 7 children, which may explain the partially incongruent findings. Our large study sample extends the current knowledge on the gross motor performance of primary-school-age children with LD and shows that in addition to having lower gross motor skills than their typically developing peers, children with LD exhibit lower ability in object-control skills than in locomotor skills.

The effect sizes obtained (i.e. large for object-control skills and moderate for locomotor skills) indicate that the gap between the performance of the LD group and the typically developing group was larger for the TGMD-2 object-control items than for the locomotor items. This result is consistent with other studies on the gross motor performance of children with intellectual disabilities (Westendorp, Houwen, Hartman, & Visscher, 2011), deaf children (Hartman, Houwen, & Visscher, 2011), children with visual impairment (Houwen et al., 2007), and disadvantaged children (Goodway & Branta, 2003). A possible explanation for this result is that the execution of object-control skills is assumed to be more complex than the execution of locomotor skills. Object-control skills are generally practised in complex play and sport settings: situations that require fast adaptation to changing conditions (Houwen, et al., 2007). Performance in novel and complex situations relies strongly on executive functioning (Hughes and Graham, 2002), which is dependent on activation of the prefrontal cortex and cerebellum (Diamond, 2000). Executive functions are abilities of goal formation and planning, and the effective execution of goal-directed plans (Jurado & Roselli, 2007). Participation in complex situations is, therefore, considered to be difficult for children with LD, as they show deficits in their executive functioning (Bull & Scerif, 2001; Bull, Espy, & Wiebe, 2008; Van der Sluis, De Jong, & Van der Leij, 2004).

The results regarding the relationship between gross motor skills and academic performance in children with LD showed a clear relation between reading and locomotor skills: the larger the learning lag in reading the poorer the locomotor performance. Although performance in mathematics was not a significant predictor of object-control skills, compared to the p-values of reading and spelling it seems likely to suggest that performance in mathematics is related to object-control performance in children with LD. Probably a larger study sample would have resulted in a significant relationship between both parameters. Future research should give more evidence for the suggest relationship between mathematics and object-control performance.

Several factors may account for the observed relations. The motor and academic skills that were measured may share some underlying processes. Reading is thought to rely particularly on automatization (i.e. the process by which skills become so fluent that they no longer need conscious control [Nicolson, Fawcett, & Dean, 2001]). For example, the AVI reading test used assesses children's reading fluency (Cito, 2008); the child is asked to read out several short stories with increasing difficulty as rapidly as possible without mistakes. Automatization processes play an important role in reading fluency (Hook & Jones, 2002; Landerl & Wimmer, 2008). The test to measure children's mathematics ability, however, extends beyond math fluency (i.e. rapid calculation of single-digit addition, subtraction, and multiplication facts) more complex calculations with the involvement of complex cognitive processes like problem solving, working memory, and procedural processes (Ardilla & Rosselli, 2002; Bull & Scerif, 2001; Bull et al., 2008; Chong & Siegel, 2008). With regard to motor skills, locomotor skills are considered to depend less on cognitive processes, while the complexity of object-control skills require more involvement of cognitive processes (Latash & Turvey, 1996). Here, we speculate that automaticity plays an important role in the observed relationship between reading and locomotor skills: meanwhile the complexity of skills may be more important for the link

between mathematics and object-control skills. Thus, the similarities in the underlying processes may account for the obtained relationships.

A limitation of the present study is that these results do not address into the causality of the relationships that were found: do higher levels of motor skills lead to better academic performance or vice versa? As a growing body of literature states that well-developed motor capacities boost children's academic abilities (Murray et al., 2006; Piek et al., 2008), we suggest based on the present study, that a motor skill intervention aimed at improving object-control skills will stimulate the performance in mathematics, and that a locomotor skill intervention may facilitate children's reading performance. However, as both motor and cognitive skills develop in the same time-span (Anderson, 2002; Gabbard, 2008), these skills may be reciprocally associated (Diamond, 2000). Future intervention studies should focus on whether a cause-and-effect relationship does indeed exist between these performance parameters. Despite these limitations, this study contributes to the sparse literature available about the specific relationships between gross motor skills and academic performance in children with LD.

The present study possesses some practical implications for teachers and educators working with children with LD. First, educators and teachers should note that just as children with LD are a heterogeneous group in academic performance (i.e. different performance levels in reading, spelling, and mathematics), they show also a variety in motor performance. Second, teachers and educators should aware of the specific interrelationship between problems in motor performance and academic abilities. Further, the specific relationships between both parameters may indicate that early assessment of gross motor performance will be useful in the identification of problems with later academic performance. Early detection of both problems is therefore recommended, which would enable timely intervention. Finally, realizing the motor problems of children with LD and the specific relationships with academic abilities, we believe it is important that teachers in physical education emphasize the practice of gross motor skills in their gym lessons in order to facilitating both the motor and the academic domain.

Conclusion

This study supports previous findings that primary-school-aged children with LD perform worse than typically developing children in gross motor skills. More importantly, we found a specific relationship between reading and locomotor skills, and a trend was observed between mathematics and object-control skills in children with LD. The present study highlights the importance of specific motor interventions directed at boosting both the motor and the academic performance of children with LD.

References

- Ahnert, J., Bös, K., & Schneider, W. (2003). Motorische und kognitive entwicklung im vorschul- und schulalter: Befunde der Müncher längsschnittsstudie LOGIK [Motor and cognitive development in preschool and school years: findings from the munich longitudinal study LOGIK]. *Zeitschrift für Entwicklungspsychologie und Pädagogische Psychologie*, 35, 185-199.
- American Psychiatric Association (2000). *Diagnostic and statistical Manual of Mental Disorders IV-TR (DSM-IV-TR)*. American Psychiatric Association, Washington, DC.
- Anderson, P. (2002). Assessment and development of executive function (EF) during childhood. *Child Neuropsychology*, 8, 71-82.
- Ardilla, A., & Rosselli, M. (2002). Acalculia and dyscalculia. *Neuropsychology Review*, 12, 179-231.
- Bull, R., Espy, K. A., & Wiebe, S.A. (2008). Short-term memory, working memory, and executive functioning in preschoolers: longitudinal predictors of mathematical achievement at age 7 years. *Developmental Neuropsychology*, 33, 205-228.
- Bull, R., & Scerif, G. (2001). Executive functioning as a predictor of children's mathematics ability: inhibition, switching, and working memory. *Developmental Neuropsychology*, 19, 273-293.
- Burns, Y., O'Callaghan, M., McDonnell, B., & Rogers, Y. (2004). Movement and motor development in ELBW infants at 1 year is related to cognitive and motor abilities at 4 years. *Early Human Development*, 80, 19-29.
- Bushnell, E. W., & Boudreau, J. P. (1993). Motor development and the mind: The potential role of motor abilities as a determinant of aspects of perceptual development. *Child Development*, 64, 1005-1021.
- Chong, S., & Siegel, L. (2008). Stability of computational deficits in math learning disability from second through fifth grades. *Developmental Neuropsychology*, 33, 300-317.
- Cito (2004). *Handleiding toelatingstoets* [Manual admissiontest]. Retrieved September 27, 2010, from www.cito.nl.
- Cito (2008). *Folder DMT en AVI: groep 3 t/m 8* [Brochure DMT and AVI: Group 3 to 8]. Retrieved September 27, 2010, from www.cito.nl.
- Diamond, A. (2000). Close interrelation of motor development and cognitive development and of the cerebellum and prefrontal cortex. *Child Development*, 71, 44-56.
- Field, A. (2005). *Discovering statistics using SPSS* (2nd ed.). London: SAGE Publications.
- Gabbard, C. P. (2008). *Lifelong Motor Development* (5th ed.). San Francisco: Pearson-Benjamin Cummings.
- Getchell, N., Pabreja, P., Neeld, K., & Carrio, V. (2007). Comparing children with and without dyslexia on the movement assessment battery for children and the test of gross motor development. *Perceptual and motor skills*, 105, 207-214.
- Goodway, J. D., & Branta, C. F. (2003). Influence of a motor skill intervention on fundamental motor skill development of disadvantaged preschool children. *Research Quarterly for Exercise and Sport*, 74, 36-46.
- Hartman, E, Houwen, S., Scherder, E. J. A. & Visscher, C. (2010). On the relationship between motor performance and executive functioning in children with intellectual

- disabilities. *Journal of Intellectual Disability Research*, 54, 468-477.
- Hartman, E., Houwen S., Visscher, C. (2011). Motor skill performance and sports participation in deaf elementary schoolchildren. *Adapted Physical Activity Quarterly*, 28, 132-145.
- Henderson, S. E., & Sugden, D. A. (1992). *Movement assessment battery for children: Manual*. London: Psychological Corporation.
- Hook, P. E., & Jones, D. J. (2002). The importance of automaticity and fluency for efficient reading comprehension. *Perspectives*, 28, 9-14.
- Houwen, S., Visscher, C., Hartman, E., & Lemmink, K. A. P. M. (2007). Gross motor skills and sports participation of children with visual impairments. *Research Quarterly for Exercise and Sport*, 78, 16-23.
- Hughes, C., & Graham, A. (2002). Measuring executive functions in childhood: problems and solutions. *Child and Adolescent Mental Health*, 7, 131-142.
- Huitema, S. (2001). Wereld in getallen [World in numbers]. 's-Hertogenbosch, Uitgeverij Malmberg.
- Jurado, M. B., & Roselli, M. (2007). The elusive nature of executive functions: a review of our current understanding. *Neuropsychology Review*, 17, 213-233.
- Landerl, K., & Wimmer, H. (2008). Development of word reading fluency and spelling in a consistent orthography: an 8-year follow-up. *Journal of Educational Psychology*, 100, 150-161.
- Latash, M. L., & Turvey, M. T. Eds. (1996). Levels of construction of movements. In *Dexterity and its development* (pp 115-170). Mahwah, NJ: Lawrence Erlbaum Associations, Inc., Publishers.
- Krom, R., Jongen, I., Verhelst, N., Kamphuis, F., & Kleintjes F. (2010). *Wetenschappelijke verantwoording DMT en AVI*. Arnhem, Stichting Cito Instituut voor toetsontwikkeling. Retrieved March, 22, 2011, from www.toetswijzer.kennisnet.nl.
- McPhiliphs, M., & Sheehy, N. (2004). Prevalence of persistent primary reflexes and motor problems in children with reading difficulties (2004). *Dyslexia*, 10, 316-338.
- Moelands, F., & Kamphuis, F. (2001). *Verantwoording van de toetsen uit de pakketten Schaal Vorderingen in Spellingvaardigheid (SVS) 1, 2 en 3*. Arnhem, Stichting Cito Instituut voor toetsontwikkeling. Retrieved March, 22, 2011, from www.toetswijzer.kennisnet.nl.
- Murray, G. K., Veijola, J., Moilanen, K., Miettunen, J., Glahn, D. C., Cannon, T. D., Jones, P. B., & Isohanni, M. (2006). Infant motor development is associated with adult cognitive categorisation in a longitudinal birth cohort study. *Journal of Child Psychology and Psychiatry*, 47, 25-29.
- Nicolson, R. I., Fawcett, A. J., & Dean, P. (2001). Developmental dyslexia: the cerebellar deficit hypothesis. *TRENDS in Neuroscience*, 24, 508-511.
- Piek, J. P., Dawson, L., Smith, L. M., & Gasson, N. (2008). The role of early fine and gross motor development on later motor and cognitive ability. *Human Movement Science*, 27, 668-681.
- Roebbers, C. M., & Kauer, M. (2009). Motor and cognitive control in a normative sample of 7-year-olds. *Developmental Science*, 12, 175-181.
- Rosnow, R. L., Rosenthal, R., & Rubin, D. B. (2000). Contrasts and correlations in effect-size

- estimation. *American Psychological Society*, 11, 446-453.
- Sergeant, J. (2000). The cognitive-energetic model: an empirical approach to attention-deficit hyperactivity disorder. *Neuroscience and Biobehavioural Reviews*, 24, 7-12.
- Simons, J., Daly, D., Theodorou, F., Caron, C., Simons, J. & Andoniadou, E. (2008). Validity and reliability of the TGMD-2 in 7-10 year old Flemish children with intellectual disability. *Adapted Physical Activity Quarterly*, 25, 71-82.
- Son, S. H., & Meisels, S. J. (2006). The relationship of young children's motor skills to later reading and math achievement. *Merrill-Palmer Quarterly*, 52, 755-778.
- Ulrich, D. A. (2000). *Test of Gross Motor Development* (2nd ed.). Austin, TX: Pro-Ed.
- Van den Bosch, L., Gillijns, P., Krom, R., & Moelands, F. (1997). *Handleiding Schaal Vorderingen in Spellingsvaardigheid* [Manual Scale of Improvements in Spelling Ability]. Arnhem, Cito.
- Van der Sluis, S., De Jong, P. F., & Van der Leij, A. (2004). Inhibition and shifting in children with learning deficits in arithmetic and reading. *Journal of Experimental Child Psychology*, 87, 239-266.
- Viholainen, H., Ahonen, T., Lyytinen, P., Cantell, M., Tolvanen, A., & Lyytinen, H. (2006). Early motor development and later language and reading skills in children at risk of familial dyslexia. *Developmental Medicine & Child Neurology*, 48, 367-373.
- Visser, J., Van Laarhoven, A., & Ter Beek, A. (1998). *AVI-toetspakket* [AVI-Test package]. 's Hertogenbosch, KPC Groep.
- Vuijk, P. J., Hartman, E., Mombarg, R., Scherder, E. J. A., & Visscher, C. (2011). Associations between the academic and motor performance in a heterogeneous sample of children with learning disabilities. *Journal of Learning Disabilities*, 44, 276-282.
- Westendorp, M., Houwen, S., Hartman, E., & Visscher, C. (2011). Are Gross Motor Skills and Organized Sports Participation Related in Children With Intellectual Disabilities? *Research in Developmental Disabilities*, 32, 1147-1153.
- Woodard, R. L., & Surburg, P. R. (2001). The performance of fundamental movement skills by elementary school children with learning disabilities. *The Physical Educator*, 58, 198-206.
- Zhang, J. (2001). Fundamental motor skill performances of children with ADD, LD, and MMR- a pilot study. *Palaestra*, 7-9.

Chapter 4

A longitudinal study on gross motor development in children with learning disorders

Marieke Westendorp
Esther Hartman
Suzanne Houwen
Barbara Huijgen
Joanne Smith
Chris Visscher

Abstract

This longitudinal study examined the development of gross motor skills, and sex-differences therein, in 7-to11-years-old children with learning disorders (LD) and compared the results with typically developing children to determine the performance level of children with LD. In children with LD (n = 56; 39 boys, 17 girls), gross motor skills were assessed with the Test of Gross Motor Development-2 and measured annually during a 3-year period. Motor scores of 253 typically developing children (125 boys, 112 girls) were collected for reference values. The multilevel analyses showed that the ball skills of children with LD improved with age ($p < .001$), especially between 7 and 9 years, but the locomotor skills did not ($p = .50$). Boys had higher ball skill scores than girls ($p = .002$) and these differences were constant over time. Typically developing children outperformed the children with LD on the locomotor skills and ball skills at all ages, except the locomotor skills at age 7. Children with LD develop their ball skills later in the primary school-period compared to typically developing peers. However, 11 year-old children with LD had a lag in locomotor skills and ball skills of at least four and three years, respectively, compared to their peers.

Keywords: primary-school-age children, locomotor skills, ball skills, learning disorders

Introduction

Children typically attain proficiency in gross motor skills such as running, hopping, throwing, and catching during their primary school years through a process of maturation and practice (Davies & Rose, 2000; Gabbard, 2008). These are all basic skills that help children function as fully and as independently as possible in their surroundings (Pangrazi, 2007) and are commonly considered the building blocks for the development of more complex motor and sport-specific skills (Stodden et al., 2008; Wall, 2004). Additionally, gross motor skills are positively related to children's cognitive functioning, e.g. academic achievement and executive functioning (Lopes, Santos, Pereira, & Lopes, 2013; Murray et al., 2006; Piek, Dawson, Smith, & Gasson, 2008). Thus, sufficiently developed gross motor skills are thought to boost children's participation in physical activities and sports as well as the development of their cognitive abilities.

It has been shown that primary-school-age children with learning disorders² (LD) have inferior gross motor skills compared to typically developing peers (Simons, Daly, Theodorou, Caron, Simons, & Andoniadou, 2008; Westendorp, Houwen, Hartman, & Visscher, 2011a; Westendorp, Hartman, Houwen, Smith, & Visscher, 2011b). However, far less is known about the gross motor development of children with LD during the primary-school years. One cross-sectional study in children with mild intellectual disabilities (a subgroup of children with LD), ages 7-10 years, showed a positive age effect with small effect sizes for ball skills. No age effects were found for locomotor skills (Simons et al., 2008). Longitudinal research considering the development of gross motor skills in children with LD has not yet been conducted. Longitudinal research is important as it provides information about within-individual changes with age rather than changes between different individuals. Identifying possible developmental changes in gross motor skill performance in children with LD will give insight into possible accelerations or stabilization in the development. This knowledge is crucial as it is likely to provide clues for interventions directed at improving motor performance in this population.

Besides age, sex differences may play a role in the gross motor skill development of children with LD. Sex differences in gross motor skill development have been established in typically developing children. The ball skill scores of boys generally exceeded that of girls (Barnett, van Beurden, Morgan, Brooks, & Beard, 2010; Butterfield, Angell, & Mason, 2012), but boys and girls did not differ in their locomotor skill scores (Barnett et al., 2010; Ulrich, 2000). In children with LD mixed results have been found regarding sex differences in gross motor skill performance. Simons et al. (2008) found that boys outperformed girls in ball skills, however, Woodard and Surburg (1997) reported higher scores for boys on both locomotor skills and ball skills compared to girls. Until now, it is still unknown whether the developmental trajectory of gross motor skills is different for boys and girls with LD. This information is important whether or not interventions should be different for boys and girls.

In sum, it is generally agreed that children with LD have lower gross motor skill performance compared to typically developing children. However, no studies focused on the developmental trajectory of gross motor skills using longitudinal research. Insight in

² Children with learning disorders are defined here as children with problems in academic skills like reading and mathematics that attend Dutch special-needs primary schools.

the longitudinal development of gross motor skills contribute to the current knowledge about the gross motor skill performance in children with LD.

The aim of this longitudinal study was, therefore, to chart the developmental trajectory of gross motor skills (i.e. locomotor skills and ball skills), and sex-differences therein, in 7-to-11 year-old children with LD and to compare the results with typically developing children to determine the performance level of children with LD. Based on the developmental skill-learning gap hypothesis (Wall, 2004), we hypothesized that the gap between children with LD and their more competent peers becomes wider. Children with a normal or high gross motor proficiency begin to use their motor skills in more open and complex settings, whereas children with less adequately developed gross motor skills find it difficult to participate in these complex settings, making it more difficult for them to acquire the expertise they require to participate (Wall, 2004). Given that children with LD tend to have poorer gross motor skills than their typically developing peers, the gap between the two groups may become larger with age.

Material and methods

Participants

Fifty-six children with LD (39 boys, 17 girls), aged between 7 and 11 years old in the year of enrolment, participated in this longitudinal study. They were recruited from a special-needs primary school located in the northern Netherlands. Over a period of three years the children's gross motor skills were measured annually in January. Not all 56 children participated in all three measurements, as some children enrolled in the school during the 3-year period, some others left or were absent due to illness. Thirty-five children performed all three measurements, 16 children performed two measurements, and five children were assessed one time. An overview of the numbers of children per measurement per age group is given in Table 4.1, with a total of 142 measurements.

For each child, the individual school files containing information about child characteristics (e.g. age, sex, IQ), a short medical history, and comorbid disorders were screened. Fifteen children had a comorbid disorder, i.e. 9 children were diagnosed as having Attention Deficit Hyperactivity Disorder, 3 children were diagnosed as having Autism Spectrum Disorders, and 3 children were diagnosed with both. The children's mean intelligence quotient was 84.2 (SD 11.0; range 60-109).

To determine the performance level of children with LD, 253 typically developing peers (125 boys and 112 girls), attending two mainstream schools in the same region, were included in the present study to provide reference values. The age range of the children was 7 to 11 years (mean age 9.5 years; SD 1.2) and children's grade level was appropriate to their age, indicating that their ability on academic performance was in the normal range (i.e. the expected level in relation to their learning experiences).

Informed consent was obtained for all children and all procedures were approved by the institutional Ethics Committee of the Center for Human Movement Sciences, University Medical Center Groningen, University of Groningen, as being in accordance with the ethical guidelines of the American Psychological Association.

Table 4.1 Number of children with learning disorders per measurement per age group

Age	Number of participants			
	T1	T2	T3	Total
7 years	10	0	0	10
8 years	14	17	0	31
9 years	20	13	12	45
10 years	2	22	12	36
11 years	0	1	19	20
Total	46	53	43	142

Assessment of motor skills

The Test of Gross Motor Development-2 (TGMD-2; Ulrich, 2000) was used to measure motor skill performance. The TGMD-2 is a qualitative, process-orientated measure (i.e. evaluates movement based on the demonstration of performance criteria which provided information of how the movement was performed) to assess 12 gross motor skills. The gross motor skills are divided into 6 locomotor skills (run, gallop, hop, leap, jump, and slide) and 6 ball skills (two-hand strike, stationary bounce, catch, kick, overhand throw, and underhand roll). Each skill is executed twice and evaluated based on the presence (success; score 1) or absence (failure; score 0) of three to five qualitative performance criteria. The highest total raw score for both subtests is 48. The higher the (total) score, the better the performance. Evidence of the reliability and validity of the TGMD-2 to assess gross motor skills has been reported for typically developing children (Ulrich, 2000) and for children with a mild intellectual disability (Simons et al., 2008). The TGMD-2 was individually administered at their school gym by specially trained test administrators.

The TGMD-2 has good psychometric qualities to assess gross motor skill performance of typically developing children, according to the test manual (Ulrich, 2000). The internal consistency, the test-retest, and the interrater reliability varied between .85 and .98 for both subtests and the total TGMD-2. The construct validity, measured with a confirmatory factor analysis, was good ($\chi^2 = 280.3$; GFI = .96; AGFI = .95) (Ulrich, 2000). Reliability and validity studies of the TGMD-2 in children with mild intellectual disabilities and learning disabilities showed similar values as reported by Ulrich (Simons et al., 2008; Zhang, 2001).

Data analysis

Multilevel modeling (MLwiN 2.23) was used to investigate the longitudinal changes in gross motor skills in children with LD. In multilevel models, longitudinal data, which are not independent and nested within children, can be analyzed. The advantage of multilevel models is that the amount of measurements may vary per child, as MLwiN assumes data is missing at random (Snijders & Bosker, 2011). Multilevel models were created for the

locomotor skills and the ball skills, whereby Level 1 values are the repeated measures *within* individual children and Level 2 values are the differences *between* individual children. To examine the developmental changes in locomotor skills and ball skills, age (i.e. linear) and age² (i.e. quadratic) were considered as possible predictors. Both age and age² were entered in the model to find the best model fit. That is, to examine if the best model fit was a linear or quadratic curve, or a combination of both. Age 7 is used as the reference age to create simple models, whereby the intercept shows the predicted score for 7-year olds. Value one represented age 8, value two represented age 9, value three represented age 10, and value four represented age 11.

Additionally, sex and the possible interactions between age and sex were entered in the model. Random intercepts were considered allowing a unique intercept for each individual child (Snijders & Bosker, 2011). Also, random slopes were entered into the model to properly account for correlations amongst repeated measures in individuals (Snijders & Bosker, 2011). All models were adjusted for comorbid disorders and IQ. The possible predictors (i.e. age, age², and sex) were entered separately into the initial model. During each step, goodness of fit was evaluated by comparing the -2*Log Likelihood (IGLS deviance) of the previous model with the most recent model. Variables that did not contribute significantly to the model ($p > .05$) were removed from further analysis. Predictions were calculated based on the final models.

To determine the between-group differences in children with LD and typically developing children at each age, the gross motor skill scores of children with LD were compared with typically developing peers using ANCOVAs with sex as the covariate (SPSS version 20.0). The ANCOVAs were conducted separately per age. To determine the meaningfulness of group effects, correlational effect sizes were calculated in accordance with Rosnow, Rosenthal, and Rubin (2000). An effect size correlation of $r = .10$ was defined as small, $r = .30$ as moderate, and an effect size of $r = .50$ as large (Field, 2005). An alpha of .05 was adopted for all tests of significance.

Results


Locomotor skill development

Table 4.2 lists the estimated model of the locomotor skills. The predictors age ($p = .50$), age² ($p = .55$), sex ($p = .34$), comorbid disorder ($p = .43$), and IQ ($p = .36$) did not significantly contribute to the locomotor skill model and were therefore not included in the final model. The interaction between age and sex was not significant ($p = .50$) indicating that the developmental trajectory of the locomotor skills was not different for boys and girls. Random slopes did not improve the model fit ($p > .05$). The predicted curve for the locomotor skills is plotted in Figure 4.1. The graph shows that the locomotor skills did not improve between ages 7 to 11.

Table 4.2 Multilevel model for the locomotor skills

Fixed effects	Coefficient	Standard error	p
Intercept (constant)	36.991	0.590	<0.001
Random effects	Variance		
<i>Level 2 random effects</i>			
Intercept variance	14.685	3.734	<0.001
<i>Level 1 variance</i>			
Residual variance	11.329	1.723	
Deviance	827.821		
Deviance empty model	866.503		

p < .05

**Figure 4.1** Locomotor skill development from age 7-11

Ball skill development

For the ball skills model, age, age², and sex significantly improved the model. Comorbid disorder (p = .28) and IQ (p = .92) did not improve the model fit and were therefore not included in the final model. The interaction between age and sex was not significant (p = .82) indicating parallel developmental trajectories for boys and girls. Also, random slopes did not improve the model fit (p > .05). The final estimated ball skill model including age, age², and sex as significant predictors, is presented in Table 4.3. The following equations were derived from this ball skill model:

$$\begin{aligned} \text{Ball skill performance for boys} &= 28.334 + 5.777 * \text{age} - 0.802 * \text{age}^2 \\ \text{Ball skill performance for girls} &= 24.362 + 5.777 * \text{age} - 0.802 * \text{age}^2 \end{aligned}$$

In these equations, age 7 is the reference age and represented as zero, value one represented age 8, value two represented age 9, value three represented age 10, and value four represented age 11. For instance, it is predicted that boys at age 9 will score $28.334 + 5.777 * 2 - 0.802 * 2^2 = 36.68$ on the ball skills.

The predicted ball skill curves for boys and girls are plotted in Figure 4.2. The observed quadratic age effect indicates an accelerated development between 7 and 9 years with a plateau around 10 years of age for boys as well as for girls. Children were estimated to improve the most from age 7 to 8 (almost 5 points), followed by age 8 to 9 (3.4 points).

Table 4.3 Multilevel model for the ball skills

Fixed effects	Coefficient	Standard error	p
Intercept (constant)	28.334	1.228	<0.001
Age	5.777	1.022	<0.001
Age ²	-0.802	.219	<0.001
Boy	0	0	
Girl	-3.972	1.199	0.002
Random effects	Variance	Standard error	
<i>Level 2 random effects</i>			
Intercept variance	11.724	3.236	<0.001
<i>Level 1 variance</i>			
Residual variance	12.197	1.860	
Deviance	826.160		
Deviance empty model	907.327		
p < .05			




Figure 4.2. Ball skill development from age 7-11 for boys and girls. Standard deviations (SD) are only illustrated in one direction for clarity, in reality SD's should be illustrated both ways.

Age-related between-group differences on gross motor skills

Table 4.4 shows the estimated mean gross motor skill scores for the children with LD and typically developing children presented by age. The between-group analyses showed that the typically developing children significantly outperformed the children with LD on the locomotor skills and ball skills at all ages, except on the locomotor skills at age 7. For the locomotor skills, at age 8 the effect sizes was large and at age 9, 10, and 11 moderate effect sizes were found. For the ball skills, large effect sizes were found at age 7 and 8, moderate effect sizes at age 9 and 10, and a small effect size was found at age 11. This indicates that the gap in locomotor skills between children with LD and typically developing children varied across the ages and the gap in ball skills between both groups decreased with increasing age.

Table 4.4 Estimated mean gross motor skill scores for children with learning disorders and typically developing children presented by age

Age	Locomotor skills									Ball skills						
	Children with LD			TD children			p	ES	Children with LD			TD children				
n	M ¹	SE	n	M ¹	SE	n			M ¹	SE	n	M ¹	SE	p	ES	
7 years	10	39.3	.98	11	39.6	.94	.805	.06	10	26.2	1.7	11	37.1	1.6	<.001	.74
8 years	31	35.9	.70	42	41.5	.60	<.001	.59	31	32.0	.74	42	39.1	.63	<.001	.65
9 years	45	37.4	.65	53	40.8	.60	<.001	.36	45	35.4	.64	53	39.5	.59	<.001	.43
10 years	36	37.9	.74	74	41.0	.52	.001	.31	36	36.3	.75	74	39.6	.52	<.001	.33
11 years	20	36.6	.84	57	41.2	.50	<.001	.48	20	37.5	1.0	57	40.3	.62	0.21	.24

Note: LD = learning disorders; TD = typically developing; ES = effect sizes

1 = Estimated mean score, statistically adjusted for sex

Discussion

The aim of this longitudinal study was to chart the developmental trajectory of gross motor skills (i.e. locomotor skills and ball skills), and sex-differences therein, in 7-to-11 year-old children with LD and to compare the results with typically developing children to determine the performance level of children with LD.

The results of the present study showed that the ball skills of children with LD improved during ages 7 to 11, but no improvement was found for the locomotor skills. The observed quadratic age effect in the development of ball skills indicates an accelerated development between 7 and 9 years with a plateau around 10 years of age. In typically developing children, the preschool and the early primary school years are recognized as the critical timeframe to develop proficiency in gross motor skills (Gabbard, 2008; Ulrich, 2000). The scores of the typically developing children presented here, showed a similar pattern with little improvement after 7 years of age. Notable is the large ball skill difference between both groups at age 7 years, while the difference between both groups at age 11 is much smaller. Therefore, we might conclude that children with LD develop their ball skills later in the primary school-period compared to their typically developing peers. However, at the end of the primary school period there is still a gap between both groups of children. Eleven-year-old children with LD perform under the level of the 8 year-old typically developing children, indicating a lag in ball skills of at least three years.

No age-related developmental changes were found for the locomotor skills in children with LD. A possible explanation for this finding might be that this study is conducted in primary-school-age children between 7 and 11 years of age and not in younger children. In typically developing children, locomotor skills develop rapidly before 7 years of age (Gabbard, 2008). It might be that children with LD also show the most improvement in locomotor skills before 7 years of age. However, the between-group comparisons showed that children with LD scored lower than the typically developing children at all ages, except at age 7. At the end of the primary school period children with LD did not achieve the performance level of 7 year-old typically developing children

indicating a lag in locomotor skills of at least four years.

The between-group performance lag for both the locomotor skills and ball skills persisted over the years. In the present study, gross motor skills were assessed in a relatively static setting that required competence in basic skills (Wall, 2004). If children's skills were evaluated in more complex and open environments (e.g. sport settings), the results would probably have reflected a growing age-related lag in the performance of the LD group. Smyth and Anderson (2000) suggested that this performance lag could negatively affect the children's active participation in games on the playground and they indeed found children with less proficient motor skills to spend more time alone and to participate less in playground games than the more competent children. Poor motor performance may also affect the pleasure children with LD experience in sports and games as playing with typically developing peers, because in the Netherlands in many organized sports children are mainly divided in groups based on their age rather than on their performance level.

Our results showed sex differences in ball skill performance, boys had higher scores than girls, but no sex differences were found on the locomotor skills. No significant interaction effects were found between age and sex indicating that the developmental patterns were not different for boys and girls and that these trajectories were parallel over time. The sex differences in gross motor skill performance in children with LD are comparable with studies in typically developing peers (Barnett et al., 2010; Butterfield et al., 2012). Butterfield et al. (2012) reported sex differences in ball skills in typically developing children favoring boys, but parallel growth curves for boys and girls.

The present study is the first longitudinal study investigating developmental changes in gross motor skills in children with LD. Insight is given into the gross motor skill development during a large part of the primary school period. However, the development trajectory before 7 years of age is still unknown. Therefore, future studies interested in gross motor skill development should focus on children younger than 7 years old. Second, the present study included a relatively small sample of 7-year-old children, which might have resulted in relatively high locomotor skills scores at age 7 compared to the other ages due to some high individual scores. Furthermore, the study population included some children with comorbid disorders, which may have influenced the data. However, the results showed that both comorbidity and IQ did not significantly influence the locomotor skill and the ball skill model. This indicated that the developmental trajectory of gross motor skills was not different for children with a comorbid disorder and children without a comorbid disorder and for children with a below average IQ and children with an IQ in the normal range. The results can be, therefore, generalized to all children with LD in Dutch special-needs primary schools.

The present study has some practical implications. First, this study stresses the importance of providing interventions for children with LD to help them develop and maintain adequate levels of gross motor proficiency. Second, there was a wide range in gross motor skill scores suggesting a variety in gross motor performance between children with LD. Motor interventions in children with LD should take into account this variability by using different skill levels in the exercises in the intervention sessions in order to challenge individual children at their own motor skill level. Finally, as motor skills and

cognitive skills are related (Cameron et al., 2012; Diamond, 2000), early detection of motor skill problems is recommended and might be useful in the identification of problems with later school performance.

Conclusion

The present study showed that the ball skills of children with LD developed between 7 to 11 years of age, but the locomotor skills did not improve. Children with LD developed their ball skills later in the primary school years compared to typically developing peers, however, the development pattern was similar. Furthermore, for the ball skills sex differences were revealed, boys scored higher than girls, and parallel growth trajectories for boys and girls were found. At all ages typically developing children outperformed children with LD highlighting the need for motor interventions in children with LD to minimize the delay in motor development and thus possibly in other areas such as their sports participation and school performance.

References

- Barnett, L. M., van Beurden, E., Morgan, P. J., Brooks, L. O., & Beard, J. R. (2010). Gender differences in motor skill proficiency from childhood to adolescence: a longitudinal study. *Research Quarterly for Exercise and Sport, 81*, 162-70.
- Butterfield, S. A., Angell, R. M., & Mason, C. A. (2012). Age and sex differences in object control skills by children ages 5 to 14. *Perceptual Motor Skills, 114*, 261-274.
- Cameron, C. E., Brock, L. L., Murrah, W. M., Bell, L. H., Worzalla, S. M., Grissmer, D., & Morrison, F. J. (2012). Fine motor skills and executive function both contribute to kindergarten achievement. *Child Development, 83*, 1229-1244.
- Davies, P. L., & Rose, J. D. (2000). Motor skills of typically developing adolescents: awkwardness or improvement? *Physical & Occupational Therapy in Pediatrics, 20*, 19-42.
- Diamond, A. (2000). Close interrelation of motor development and cognitive development and of the cerebellum and prefrontal cortex. *Child Development, 71*, 44-56.
- Field, A. (2005). *Discovering statistics using SPSS* (2nd ed.). London: Sage Publications.
- Gabbard, C. P. (2008). *Lifelong Motor Development* (5th ed.). San Francisco: Pearson-Benjamin Cummings.
- Lopes, L., Santos, R., Pereira, B., & Lopes, V. P. (2013). Associations between gross motor coordination and academic achievement in elementary school children. *Human Movement Science, 32*, 9-20.
- Murray, G. K., Veijola, J., Moilanen, K., Miettunen, J., Glahn, D. C., Cannon, T. D., Jones, P. B., & Isohanni, M. (2006). Infant motor development is associated with adult cognitive categorisation in a longitudinal birth cohort study. *Journal of Child Psychology and Psychiatry, 47*, 25-29.
- Pangrazi, R. (2007). *Dynamical physical education for elementary children* (15th ed.). New York: Pearson-Benjamin Cummings.
- Piek, J. P., Dawson, L., Smith, L. M., & Gasson, N. (2008). The role of early fine and gross motor development on later motor and cognitive ability. *Human Movement Science, 27*, 668-681.
- Rosnow, R. L., Rosenthal, R., & Rubin, D. B. (2000). Contrasts and correlations in effect-size estimation. *American Psychological Society, 11*, 446-453.
- Simons, J., Daly, D., Theodorou, F., Caron, C., Simons, J., & Andoniadou, E. (2008). Validity and reliability of the TGMD-2 in 7-10 year old Flemish children with intellectual disability. *Adapted Physical Activity Quarterly, 25*, 71-82.
- Smyth, M. M., & Anderson, H. I. (2000). Coping with clumsiness in the school playground: social and physical play in children with coordination impairments. *British Journal of Developmental Psychology, 18*, 389-413.
- Snijders, T., & Bosker R. (2011). *Multilevel Analysis: an introduction to basic and advanced multilevel modelling* (2nd ed). London: Sage Publications.
- Stodden, D. F., Goodway, J. D., Langendorfer, S. J., Robertson, M. A., Rudisill, M. E., Garcia, C., & Garcia, L. E. (2008). A developmental perspective on the role of motor skill competence in physical activity: an emergent relationship. *Quest, 60*, 290-305.
- Ulrich, D. A. (2000). *Test of Gross Motor Development* (2nd ed.). Austin, TX: Pro-Ed.
- Wall, A. E. T. (2004). The developmental skill-learning gap hypothesis: implications for
-

- children with movement difficulties. *Adapted Physical Activity Quarterly*, 21, 197-218.
- Westendorp, M., Houwen, S., Hartman, E., & Visscher, C. (2011a). Are Gross Motor Skills and Organized Sports Participation Related in Children With Intellectual Disabilities? *Research in Developmental Disabilities*, 32, 1147-1153.
- Westendorp, M., Hartman, E., Houwen, S., Smith, J., & Visscher, C. (2011b). The relationship between gross motor skills and academic achievement in children with learning disabilities. *Research in Developmental Disabilities*, 32, 2773-2279.
- Woodard, R. L., & Surburg, P. R. (1997). Fundamental gross motor skill performance by girls and boys with learning disabilities. *Perceptual Motor Skills*, 58, 198-20.
- Zhang, J. (2001). Fundamental motor skill performances of children with ADD, LD, and MMR- a pilot study. *Palaestra*, 7-9.

Chapter 7

Discussion and conclusions

Aim of the thesis

The general aim of this thesis was to examine the development of gross motor skills and the possible relationship between gross motor skills and cognitive performance [i.e. executive functioning (EF) and academic skill] in primary school-aged children with LD. Specifically, insight is provided into the level of gross motor skills in children with LD, compared to their typically developing peers and how these gross motor skills develop with age between 7 and 11 years of age. Furthermore, associations between children's gross motor skill performance and cognitive performance were investigated. Finally, a motor intervention was developed and implemented and the possible effects on children's gross motor skills and cognitive performance were examined.

Main findings

Gross motor development and performance

In the cross-sectional studies in Chapters 2 and 3, it was shown that children with LD (both children with LD with a below average IQ as well as children with LD with a normal IQ) generally have inferior gross motor skill performance compared with their typically developing peers. These results are in line with other studies (Simons, Daly, Theodorou, Caron, Simons, & Andoniadou, 2008; Hartman, Houwen, Scherder, & Visscher, 2010; Woodard & Surburg, 2001; Zhang, 2001). Additionally, Chapters 2 and 3 also showed that children with LD have lower ball skill scores compared to locomotor skill scores. It appeared that children with LD had the most problems with the more complex motor skills wherein more parts of the body were involved simultaneously for example during jumping or throwing (Chapter 2). Furthermore, it was shown that the children who participated in sports had higher ball skill performance than children with LD who did not participate in sports, however, the children who participated in sports did not attain the performance level of typically developing children.

Although cross-sectional research on the gross motor skills of children with LD is important to detect possible motor problems in this population, it gives no insight into the development changes of these skills over the years. Understanding developmental changes in gross motor skills would give insight into possible accelerations or stabilization in the development. This knowledge is crucial for the development of interventions for children with LD.

The longitudinal study in Chapter 4 gives insight into the developmental changes in gross motor skills that occur in children with LD between 7 and 11 years old. It showed that typically developing children outperformed children with LD at all ages, except for the locomotor skills at age 7. Furthermore, the longitudinal analyses showed that the ball skills of children with LD improved with age, with an accelerated development between 7 and 9 years old and a plateau around 10 years of age. Based on these findings, we conclude that, although ball skills are improved at the end of the primary school-period there is still a gap with children with LD at least 3 years behind their typically developing peers.

The results of Chapters 2, 3, and 4 underline the importance of specific attention (i.e. training) to ball skill of children with LD. Additionally, as it seems that the gap between children with LD and their peers is already present before the age of seven (Chapter 4), future research into gross motor skill development should focus on children

across a wider age range, including younger children, to gain more insight into the age at which children with LD begin to develop motor problems. Knowledge about the gross motor skill development of children with LD throughout their entire childhood would enable timely intervention in order to decrease motor problems in this population.

Relationship between gross motor skill performance and cognitive performance

It is generally agreed that motor development and cognitive development are intertwined rather than being independent processes (Diamond, 2000). The results presented in this thesis support this notion by showing relationships between children's gross motor skills and academic skills (Chapter 3) and between gross motor skills and EF (Chapter 5). Furthermore, Chapters 3 and 5 extend the current literature (e.g. Michel, Roethlisberger, Neuenschwander, & Roebbers, 2011; Piek, Dawson, Smith, & Gasson, 2008; Rigoli, Piek, Kane, Whillier, Baxter, & Wilson, 2013; Wassenberg et al., 2005) by showing that the relationship between gross motor skills and cognitive performance appears to be specific rather than general. Chapter 3 showed specific relationships between locomotor skills and reading performance and between ball skills and performance in mathematics. Additionally, Chapter 5 demonstrated a specific association between ball skills and problem solving (one year later) rather than a general association between gross motor skills and EF. An interesting question rising from these results is whether or not the relationship between gross motor skills and academic skills is mediated by EF, as it is known that EF plays a critical role in the development of academic skills (Best, Miller & Jones, 2009; Best, Miller, & Naglieri, 2011; Bull, Espy, & Wiebe, 2008). A recent study of Rigoli, Piek, Kane, and Oosterlaan (2012) concluded that in adolescents motor coordination has an indirect impact on academic skills through working memory. However, Cameron et al. (2012) showed that fine motor skills and EF both independently contributed to children's academic skills in kindergarten (Cameron et al., 2012). Understanding the possible indirect or mediating role of EF in the relationship between gross motor skills and academic skills will enable targeted interventions.

Motor skill intervention

To our knowledge, this is the first intervention study in children with LD focusing on both the improvement of their motor skills and stimulating cognitive performance, i.e. problem solving and cognitive flexibility. Chapter 6 showed that children in the intervention group significantly improved their ball skills, while the children in the control group did not. During the intervention, the ball skills were practiced two times per week during the regular physical education classes (40 minutes per session) for a duration of 16 weeks (total 960 minutes). No difference between the intervention and the control group were found on the EF tasks. However, within the intervention group, children who showed more improvement in ball skills demonstrated more improvement in problem solving (but not in cognitive flexibility), compared to children who showed less improvement in ball skills.

Although the results suggested that practicing ball skills might have positive effects on EF, specifically on problem solving, the current intervention did not demonstrate large effects on EF. Ball skills were practiced in a structured way progressing from simple to

complex tasks. Research has shown that practicing simple exercises is not effective for improving EF, because simpler exercises do not rely on activation of the prefrontal neural circuit (Budde, Voelcker-Rehage, Pietraßyk-Kendziorra, Ribeiro, Tidow, 2008). The time spent on simple ball exercises in our intervention may therefore not have stimulated the children's EF. It seems that a longer or more intensive intervention program with more time dedicated to complex ball skills is needed to enhance EF. Furthermore, EF may be more sensitive to a motor skill intervention at one developmental time point rather than another and this may vary between the different EF components (Best, 2010). Future motor interventions studies should focus on dose-response relationships by including intervention groups receiving different doses of motor skill training in different age categories. In addition, an interesting question for future research is whether other forms of motor skill training, such as gymnastics or dance, may also be effective to stimulate EF in children with LD (Diamond & Lee, 2011).

Reflections on the thesis

Conducting research with children and performing an intervention give rise to some study observations that may be relevant for future research. Issues regarding the study population, the intervention, and the measurements used in this thesis will be discussed.

Study population

Children attending Dutch special-needs schools are a heterogeneous group of children, including children with LD with a below average IQ, and children with LD with a normal IQ with or without a comorbid disorder. In the first chapters of this thesis, we focused on subgroups of children with LD, i.e. children with LD with a below average IQ (Chapter 2) and children with LD with a normal IQ with problems in one or more domains of academic achievement (Chapter 3) in order to give insight into the motor problems of these subgroups. Chapters 2 and 3 have shown that both groups of children had inferior gross motor skill performance compared to typically developing children. In the longitudinal study in Chapter 4 we looked at the developmental changes in gross motor skills over a period of 4 years. This study showed that IQ and comorbid disorders (Attention Deficit Hyperactivity Disorder and Autism Spectrum Disorders) did not influence the developmental trajectories of gross motor skills, indicating that the gross motor skill trajectories are comparable for all children in Dutch special-needs primary schools. The studies in Chapter 5 and 6 therefore included all children in Dutch special-needs primary schools.

Intervention

The aim of this thesis was to develop an intervention applicable in a school setting. Important starting points for the present intervention were: 1) the physical education teacher could perform the intervention during the regular physical education classes and, 2) all children should be able to participate in the intervention. After the intervention of 16 weeks, we conducted a process evaluation in order to examine whether or not the intervention was applicable in a school setting and whether or not the exercises in the intervention were practically achievable during the intervention sessions and fitted the

gross motor skill level of children in Dutch special-needs primary schools. Based on the process evaluation we concluded that the ball skill intervention was suitable for a heterogeneous population of children. By offering ball skill exercises matching individual skill levels resulted that most of the children were challenged on their own skill level. In a population with large variability in ball skill performance, like children with LD, this is it important (Valentini & Rudisill, 2004). Furthermore, the physical education teacher reported that this group of children needed specific attention and individual feedback. This was possible due to the teacher-child ratio (2:16). We are aware that this is not the standard in educational practice. However, we recommend that children receive appropriate practice, encouragement and adequate feedback in learning gross motor skills (see also Goodway & Branta, 2003). Finally, in the evaluations most of the children reported that they had experienced enjoyable physical education classes through the variation in types of exercises. It is critical that physical education classes and learning of gross motor skills should be fun, so that children are motivated to participate during the physical education classes (Hardy, Barnett, Espinel, & Okely, 2013). In conclusion, the current intervention was appropriate for children in Dutch special-needs primary schools.

Measurements

In this thesis the Test of Gross Motor Development-2 (TGMD-2; Ulrich, 2000) was used for the assessment of gross motor skills. The TGMD-2 measures gross motor skills in a relatively static setting, while in the intervention the ball skills were practiced in static as well as in more complex, dynamic settings. To measure improvement of ball skills in a complex setting more context specific measurements are needed. To our knowledge, reliable and valid instruments assessing gross motor skills in complex settings have not yet been developed. Such instruments would provide a valuable contribution to the current motor skill instruments, as it would give more insight into the competence of gross motor skills in more play- and sport-specific settings.

Implications for educational practice

The present thesis has several practical implications for teachers and educators working with children with LD as well as for educational policy-makers. Teachers will already be aware that children with LD attending Dutch special-needs primary schools are a heterogeneous group in terms of their academic performance, but this thesis showed that they are also heterogeneous in terms of their gross motor skill performance. Physical education teachers should take this variability in gross motor proficiency into account during their physical education classes by using different skill levels in the exercises and by giving individual and specific feedback rather than only class-level instruction. Different skill levels and individual instruction are generally applied in teaching academic skills. For example, many Dutch primary-schools offering reading education in group 1 (6 and 7 years old children) based on the method 'Safe learn to read' which uses four different reading levels. Children receive reading education fitting their individual skill level. This should also be the case in the physical education classes, especially in special-needs primary schools because of the heterogeneity of the population. In addition, the specific relationship between motor performance and (later) cognitive performance, as noted in

Chapter 3 and 5, stresses the importance of developing adequate gross motor skill performance. Physical education teachers should focus on these skills in their physical education classes. The development of gross motor skills should also be an important component in early childhood education programs in order to decrease motor problems.

Policy-makers should be aware of the importance of physical education classes for the overall development of the child. Furthermore, primary schools are the ideal settings for sport, exercise, and movement education, because almost all children in the Netherlands attend a primary school allowing more children to be reached than in optional sport and leisure activities after schooltime. Therefore, the Dutch government should invest in physical education classes at primary school level, for example through expanding the norm of minimal hours physical education classes per week (for primary school the norm is 2 times per week, 45 minutes per lesson, and for special-needs primary schools the norm is 3 times per week, 45 minutes).

Conclusions

The results presented in this thesis were based on cross-sectional and longitudinal data. Based on the findings in the separate studies the following conclusions are made:

1. Children with LD generally have inferior gross motor skill performance compared to their typically developing peers.
2. Although children with LD are able to develop their motor skills to the end of the primary school years there is still a gap where children with LD are at least 3 years behind their typically developing peers
3. Specific attention to motor skill training in children with LD appears to be necessary.
4. The relationship between gross motor skills and cognitive performance appears to be specific rather than general.
5. The ball skill intervention is an effective instrument to improve the ball skills of children with LD.
6. Practicing ball skills appears to influence EF positively, specifically on problem solving.

References

- Best, J. R. (2010). Effects of physical activity on children's executive function: Contributions of experimental research on aerobic exercise. *Developmental Review, 30*, 331-351.
- Best, J. R., Miller, P. H., & Jones, L. L. (2009). Executive functions after age 5: Changes and correlates. *Developmental Review, 29*, 180-200.
- Best, J. R., Miller, P. H., & Naglieri, J. A. (2011). Relations between executive function and academic achievement from ages 5 to 17 in a large, representative national sample. *Learning and Individual Differences, 21*, 327-336.
- Bull, R., Espy, K. A., & Wiebe, S.A. (2008). Short-term memory, working memory, and executive functioning in preschoolers: longitudinal predictors of mathematical achievement at age 7 years. *Developmental Neuropsychology, 33*, 205-228.
- Budde, H., Voelcker-Rehage, C., Pietraßyk-Kendziorra, S., Ribeiro, P., Tidow, G. (2008). Acute coordinative exercise improves attentional performance in adolescents. *Neuroscience Letters, 441*, 219-223.
- Cameron, C. E., Brock, L. L., Murrah, W. M., Bell, L. H., Worzalla, S. M., Grissmer, D., & Morrison, F. J. (2012). Fine motor skills and executive function both contribute to kindergarten achievement. *Child Development, 83*, 1229-1244.
- Diamond, A. (2000). Close interrelation of motor development and cognitive development and of the cerebellum and prefrontal cortex. *Child Development, 71*, 44-56.
- Diamond, A., & Lee, K. (2011). Interventions shown to aid executive function development in children 4 to 12 years old. *Science, 333*, 959-64.
- Goodway, J. D., & Branta, C. F. (2003). Influence of a motor skill intervention on fundamental motor skill development of disadvantaged preschool children. *Research Quarterly for Exercise and Sport, 74*, 36-46.
- Hardy, L. L., Barnett, L., Espinel, P., & Okely, A. D. (2013). Thirteen-year trends in child and adolescents fundamental movement skills: 1997-2010. *Medicine & Science in Sports & Exercise, 45*, 1965-1970.
- Hartman, E., Houwen, S, Scherder, E., & Visscher, C. (2010). On the relationship between motor performance and executive functioning in children with intellectual disabilities. *Journal of Intellectual Disability Research, 54*, 468-477.
- Michel, E., Roethlisberger, M., Neuenschwander, R., & Roebbers, C. (2011). Development of cognitive skills in children with motor coordination impairments at 12-month follow-up. *Child Neuropsychology, 17*, 151-172.
- Piek, J. P., Dawson, L., Smith, L. M., & Gasson, N. (2008). The role of early fine and gross motor development on later motor and cognitive ability. *Human Movement Science, 27*, 668-681.
- Rigoli, D., Piek, J. P., Kane, R., & Oosterlaan, J. (2012). Motor coordination, working memory, and academic achievement in a normative adolescent sample: testing a mediation model. *Archives of clinical neuropsychology, 27*, 766-780 .
- Rigoli, D., Piek, J. P., Kane, R., Whillier, A., Baxter, C., & Wilson, P. (2013). An 18-month follow-up investigation of motor coordination and working memory in primary school children [published online ahead of print October, 10, 2013]. *Human Movement Science*, doi 10.1016/j.humov.2013.07.014.
-

- Simons, J., Daly, D., Theodorou, F., Caron, C., Simons, J., & Andoniadou, E. (2008). Validity and reliability of the TGMD-2 in 7-10 year old Flemish children with intellectual disability. *Adapted Physical Activity Quarterly*, *25*, 71-82.
- Stodden, D. F., Goodway, J. D., Langendorfer, S. J., Robertson, M. A., Rudisill, M. E., Garcia, C., & Garcia, L. E. (2008). A developmental perspective on the role of motor skill competence in physical activity: an emergent relationship. *Quest*, *60*, 290-305.
- Ulrich, D. A. (2000). *Test of Gross Motor Development* (2nd ed.). Austin, TX: Pro-Ed.
- Valentini, N. C., & Rudisill, M. E. (2004). An inclusive mastery climate intervention and the motor skill development of children with and without disabilities. *Adapted Physical Activity Quarterly*, *21*, 330-347.
- Wall, A. E. T. (2004). The developmental skill-learning gap hypothesis: implications for children with movement difficulties. *Adapted Physical Activity Quarterly*, *21*, 197-218.
- Wassenberg, R., Feron, J. M., Kessels, A. G. H., Hendriksen, J. G. M., Kalff, A. C., Kroes, M., et al. (2005). Relation between cognitive and motor performance in 5- to 6- year-old children: results from a large-scale cross-sectional study. *Child Development*, *76*, 1092-1103.
- Woodard, R. L., & Surburg, P. R. (1997). Fundamental gross motor skill performance by girls and boys with learning disabilities. *Perceptual Motor Skills*, *58*, 198-20.
- Zhang, J. (2001). Fundamental motor skill performances of children with ADD, LD, and MMR- a pilot study. *Palaestra*, 7-9.

Summary

In the Netherlands, almost forty thousand children attend special-needs primary schools. Children in Dutch special-needs primary schools [from now called children with learning disorders (LD)] have learning lags in one or more academic skills (i.e. reading, spelling, and mathematics) causing by specific learning problems, behaviour problems and/or a lower intelligence level. The focus in the education of children with learning disorders as well as in scientific research about this group of children is primarily on their cognitive performance. Far less attention is given to the motor development of children with LD, although it is known that motor development is an important factor in child development, for example in the cognitive development. Research focussing on the motor development of children with LD and the possible relationship with their cognitive development may, therefore, lead to better understanding and support of these children in the educational setting. The aim of this thesis was to examine the development of gross motor skills and the possible relationship between motor skills and cognitive performance (i.e. executive functioning and academic skills) in children with LD aged between 7 and 12 years. The three main questions addressed were:

- 1) What is the level of gross motor skill performance of children with LD compared to typically developing children and how do gross motor skills develop with age in children with LD?
- 2) Is there a relationship between gross motor skills and children's cognitive performance?
- 3) What is the effect of a motor intervention on children's gross motor skills and their cognitive performance?

In Chapter 2, the level of gross motor skill performance and the relationship between gross motor skills and sports participation are investigated. The gross motor skill performance of children with intellectual disabilities (IQ between 50-80; a subgroup of children with LD) is compared with typically developing children using the de Test of Gross Motor Development -2 (TGMD-2). A self-report measure was used to assess the children's participation in organized sports. Compared to their typically developing counterparts, children with intellectual disabilities scored significantly lower on both the locomotor and ball skills (i.e. object-control skills). The results suggest that children with intellectual disabilities had particularly problems with complex motor skills, whereby more parts of the body were involved simultaneously for example during jumping or throwing. Furthermore, a positive relationship is found between the level of ball skills and organized sports participation in children with intellectual disabilities (small to moderate relationship) as well as in typically developing children (small relationship) meaning that children who participated in sports had higher ball skill scores than children who did not participated in sports. Moreover, the sports participation of children with intellectual disabilities was extremely lower (39%) compared to that of typically developing children (84%).

In Chapter 3, the gross motor skill scores of children with learning disabilities (children with LD with an IQ in the normal range, i.e. 80 or above; a subgroup of children with LD) are compared with their typically developing peers to gain insight into the motor problems of these children. Furthermore, the relationship between gross motor skills and

different domains of academic achievement (i.e. reading, spelling, and mathematics) are investigated in children with learning disabilities. The results showed that the children with learning disabilities scored significantly lower on the locomotor skills and the ball skills compared to typically developing children as assessed with the TGMD-2. The effect sizes obtained (i.e. large for ball skills and moderate for locomotor skills) indicate that the gap between the performance of children with learning disabilities and their typically developing counterparts was larger for the ball skills than for the locomotor skills. Additionally, in children with learning disabilities a specific relationship was observed between reading and locomotor skills and a trend was found for a relationship between mathematics and ball skills: the larger children's learning lag, the poorer their motor skill scores.

The longitudinal development of gross motor skills from 7- to- 11 years old in children with LD is evaluated in Chapter 4. This study included children with LD with a low IQ as well as children with LD with a normal IQ, i.e. children with intellectual disabilities and children with learning disabilities. The results showed that the ball skills of children with LD improved during ages 7 to 11, especially between 7 and 9 years. Notable is the large ball skill difference between both groups at age 7 years, while the difference between both groups at age 11 is much smaller. No improvement was found for the locomotor skills during ages 7 to 11. The effect of sex, IQ and comorbid disorders (i.e. ADHD and autism spectrum disorders) on the ball skills is also examined. Boys had higher scores than girls. However, the developmental patterns were not different for boys and girls indicating that these trajectories were parallel over time. No significant effects were found of comorbid disorders and IQ on the ball skill development. This indicated that the developmental trajectory of gross motor skills was not different for children with a comorbid disorder and children without a comorbid disorder and for children with a below average IQ and children with an IQ in the normal range.

Furthermore, the gross motor skill development of children with LD is compared with that of typically developing peers. Children with LD had lower performance on the locomotor skills and ball skills at all ages, except the locomotor skills at age 7. At the end of the primary school-period (11 years of age) there is still between both groups of children. Eleven- year-old children with LD had a lag in locomotor skills and ball skills of at least four and three years, respectively, compared to their peers.

In Chapter 5 a longitudinal study on the relationship between gross motor skills and executive functioning is conducted in children with LD, aged 7 to 11 years. The performance on different subsets of gross motor skills (i.e. locomotor skills and ball skills) was related to the performance on different components of executive functioning (i.e. inhibition, cognitive flexibility, working memory, problem solving) one and two years later. A positive significant relationship was found between children's ball skill performance and their performance on problem solving one year later. This indicate that the better children's ball skill performance, the better their performance in problem solving one year later. Based on Chapter 3 and Chapter 5 we concluded that the relationship between gross motor skills and cognitive performance is specific rather than a general association. Chapter 6 examined the effect of a 16-week ball skill intervention on the ball skills, executive functioning (in terms of problem solving and cognitive flexibility), and in how far

improved executive functioning leads to improved reading and mathematics performance. The children in the intervention group significantly improved their ball skills, while the children in the control group did not. No intervention effects were found on the cognitive parameters. However, within the intervention group a positive relationship (moderate relation) was found between the change in ball skill performance and the change in problem solving: the larger children's improvement in ball skills, the larger their improvement in problem solving. Based on the results, we concluded that the ball skill intervention is an effective instrument to improve the ball skills of children with LD. Although the current study did not demonstrate large effects on executive functioning and academic achievement, evidence was found to suggest that practicing ball skills might have a positive influence on cognition, specifically on problem solving. Further research is needed to examine the impact of the ball skill intervention on the cognitive parameters in this population.

In the general discussion in Chapter 7, the main findings of this thesis are reviewed. Furthermore, practical implications and recommendations for future research as well as recommendations for the educational practice are provided.

The following conclusions are drawn from the findings in the separate studies in this thesis:

1. Children with LD generally have inferior gross motor skill performance compared to their typically developing peers.
2. Although children with LD are able to develop their motor skills to the end of the primary school years there is still a gap where children with LD are at least 3 years behind their typically developing peers
3. Specific attention to motor skill training in children with LD appears to be necessary.
4. The relationship between gross motor skills and cognitive performance appears to be specific rather than general.
5. The ball skill intervention is an effective instrument to improve the ball skills of children with LD.
6. Practicing ball skills appears to influence EF positively, specifically on problem solving.

The present thesis has several practical implications. The results of this thesis emphasized the importance of well-developed gross motor skills. Therefore the development of gross motor skills should be an important component of the physical education lessons. It is recommended to take individual performance levels of children into account through using different skill levels in the exercises and by giving individual and specific feedback. Hopefully, this thesis contributes to a raising awareness in society and policy of the importance of physical education classes for the overall development of the child.

Samenvatting

In Nederland gaan circa veertig duizend kinderen naar het speciaal basisonderwijs. Het speciaal basisonderwijs biedt onderwijs aan kinderen met leerproblemen. Dit zijn kinderen die extra zorg nodig hebben om zich goed te kunnen ontwikkelen wegens specifieke leerproblemen, gedragsproblemen en/of een verlaagd intelligentie niveau. In zowel het onderwijs aan deze kinderen als het onderzoek naar deze doelgroep ligt de focus op de cognitieve ontwikkeling. Veel minder aandacht is er voor de motorische ontwikkeling, terwijl de motorische ontwikkeling een belangrijke rol speelt in de algehele ontwikkeling van het kind, zoals de cognitieve ontwikkeling. Onderzoek naar de motorische ontwikkeling van kinderen met leerproblemen in het speciaal basisonderwijs en de mogelijke relaties met de cognitieve ontwikkeling is daarom van belang voor het ontwikkelen van passend onderwijs voor deze kinderen. Het doel van dit proefschrift was om inzicht te krijgen in de grove motorische ontwikkeling en de mogelijke relaties tussen de grove motorische ontwikkeling en cognitieve ontwikkeling (executieve functies en schoolprestaties) van kinderen met leerproblemen in het speciaal basisonderwijs in de leeftijd van 7 tot en met 12 jaar. De drie hoofdvragen van het onderzoek waren:

1. Wat is het niveau van de grove motorische vaardigheden van kinderen met leerproblemen in het speciaal basisonderwijs vergeleken met kinderen in het reguliere onderwijs en hoe ontwikkelen deze vaardigheden zich naarmate kinderen ouder worden?
2. Is er een relatie tussen grove motorische vaardigheden en cognitieve vaardigheden?
3. Wat is het effect van een motorische interventie op motorische vaardigheden en cognitieve vaardigheden?

In hoofdstuk 2 is het niveau van de grove motorische vaardigheden onderzocht en de relatie tussen grove motorische vaardigheden en sportdeelname. Voor dit onderzoek zijn kinderen met leerproblemen en een verlaagd intelligentieniveau (IQ tussen 50 en 80; subgroep binnen het speciaal basisonderwijs) en kinderen in het reguliere onderwijs getest met de Test of Gross Motor Development -2 (TGMD-2). Om de sportdeelname van de kinderen in kaart te brengen is een vragenlijst afgenomen. Uit de resultaten is gebleken dat de kinderen met leerproblemen en een verlaagd intelligentieniveau minder goed scoorden dan reguliere kinderen op zowel de verplaatsvaardigheden als de balvaardigheden. Het bleek dat de kinderen met een verlaagd intelligentie niveau de meeste problemen hadden met complexe motorische vaardigheden, waarbij verschillende lichaamsdelen tegelijk gebruikt moeten worden bijvoorbeeld bij springen en gooien. Verder is een positieve relatie gevonden tussen het niveau van de balvaardigheden en lidmaatschap van een sportvereniging bij de kinderen met een verlaagd intelligentieniveau (zwak tot matige relatie) en bij reguliere kinderen (zwakke relatie). Dit houdt in dat kinderen die aan sport doen hoger scoorden op de balvaardigheden subtest van de TGMD-2 dan kinderen die niet aan sport doen. Opvallend was dat de sportdeelname in georganiseerde sport van de kinderen met een verlaagd intelligentieniveau aanzienlijk lager was (39%) dan van kinderen in het reguliere onderwijs (84%).

In hoofdstuk 3 is de grove motoriek van kinderen met leerproblemen, maar met een normaal intelligentieniveau (IQ 80 en hoger; subgroep binnen het speciaal basisonderwijs), vergeleken met dat van reguliere leeftijdsgenootjes. Tevens is de relatie tussen de grove motorische vaardigheden en de prestaties op lezen en rekenen van de kinderen met leerproblemen onderzocht. Uit het onderzoek bleek dat de kinderen met leerproblemen met een normaal intelligentieniveau lager scoorden op zowel de verplaatsvaardigheden subtest als de balvaardigheden subtest van de TGMD-2 dan reguliere kinderen. De effect size voor de verplaatsvaardigheden was matig en voor de balvaardigheden sterk wat inhoudt dat de achterstand van kinderen met leerproblemen ten opzichte van reguliere kinderen groter was op de balvaardigheden dan op de verplaatsvaardigheden. Tevens is er een positieve significante relatie gevonden tussen het niveau van de verplaatsvaardigheden en het leesniveau van de kinderen. Dit houdt in dat hoe beter de verplaatsvaardigheden van de kinderen waren hoe hoger ze scoorden op de leestest. Eenzelfde verband is gevonden tussen het niveau van de balvaardigheden en de prestaties op rekenen, hoewel dit verband net niet significant ($p = .052$) was.

De longitudinale ontwikkeling van de grove motorische vaardigheden van kinderen met leerproblemen in het speciaal basisonderwijs is beschreven in hoofdstuk 4. In deze studie zijn zowel de kinderen met leerproblemen en een normaal intelligentieniveau als kinderen met leerproblemen en een verlaagd intelligentieniveau onderzocht. De resultaten laten zien dat de kinderen beter scoorden op de balvaardigheden naarmate ze ouder werden. Op 7-jarige leeftijd scoorden de kinderen gemiddeld 26 punten op de subtest balvaardigheden van de TGMD-2 en op 11-jarige leeftijd gemiddeld 37 punten. De meeste ontwikkeling op balvaardigheden vond plaats tussen 7- en 9-jarige leeftijd. Op de verplaatsvaardigheden lieten de kinderen geen significante verbetering zien tussen 7- en 11-jarige leeftijd. Ook is het effect van geslacht, intelligentie niveau en nevenstoornis (ADHD, autisme verwante stoornissen) op de balvaardigheden onderzocht. Jongens scoorden significant hoger dan meisjes op de balvaardigheden. Echter, het ontwikkelingspatroon van de jongens en de meisjes op de balvaardigheden verliep parallel. Dit houdt in dat op elke leeftijd het verschil tussen de jongens en de meisjes na genoeg even groot was. Er zijn geen significante effecten van intelligentieniveau en nevenstoornis op de ontwikkeling van de balvaardigheden gevonden. Dit houdt in dat de ontwikkeling van de balvaardigheden tussen 7- en 11-jarige leeftijd niet significant verschillend was voor kinderen met leerproblemen en een normaal intelligentieniveau en kinderen met leerproblemen en een verlaagd intelligentieniveau. Hetzelfde geldt voor kinderen met een nevenstoornis als kinderen zonder nevenstoornis.

Daarnaast is in hoofdstuk 4 de ontwikkeling van grove motorische vaardigheden van de kinderen met leerproblemen (met een normaal intelligentieniveau en een verlaagd intelligentieniveau samen) vergeleken met de ontwikkeling van leeftijdsgenootjes in het reguliere onderwijs. Hieruit bleek dat op elke leeftijd de kinderen met leerproblemen significant lager scoorden op zowel de verplaatsvaardigheden als op de balvaardigheden, uitgezonderd de verplaatsvaardigheden op 7-jarige leeftijd. Aan het eind van de basisschoolperiode (11-jarige leeftijd) was het verschil in vaardigheidsniveau tussen de kinderen met leerproblemen en reguliere kinderen drie jaar op de balvaardigheden en vier jaar op de verplaatsvaardigheden.

In hoofdstuk 5 is onderzoek uitgevoerd naar de longitudinale relatie tussen de grove motorische vaardigheden en het executief functioneren van de kinderen met leerproblemen (met een normaal intelligentieniveau en een verlaagd intelligentieniveau samen). In deze studie is onderzocht of het niveau van de grove motorische vaardigheden op jongere leeftijd effect heeft op de prestatie op het executief functioneren in hetzelfde jaar, een jaar later en twee jaar later. Hiervoor zijn 4 executieve functies gemeten te weten 'planning en probleemoplossend vermogen', het 'werkgeheugen', 'cognitieve flexibiliteit' en 'inhibitie'. Een positieve significante relatie is gevonden tussen het niveau van de balvaardigheden en de prestatie op 'planning en probleemoplossend vermogen' een jaar later. Dit houdt in dat hoe beter de balvaardigheden van de kinderen ontwikkeld waren, hoe hoger de kinderen scoorden op planning en probleemoplossend vermogen een jaar later. Uit de hoofdstukken 3 en 5 kunnen we concluderen dat de relatie tussen de grove motorische vaardigheden en cognitieve vaardigheden een specifieke relatie lijkt te zijn en geen algemene relatie.

In hoofdstuk 6 zijn de effecten van de motorische interventie (het balvaardigheidsprogramma) op de balvaardigheden, de executieve functies en de schoolprestaties van kinderen met leerproblemen beschreven. Uit de resultaten bleek dat de kinderen die het balvaardigheidsprogramma gevolgd hebben hun balvaardigheden meer ontwikkeld hebben, dan de kinderen uit de controle groep die het programma niet hebben gevolgd. Er is geen direct effect van het programma op de executieve functies - gemeten met de Tower of London voor planning en probleemoplossend vermogen, en de Trailmaking test voor cognitieve flexibiliteit- en op de prestaties op lezen en rekenen aangetoond. Wel is gebleken dat binnen de groep kinderen die het programma hebben gevolgd, dat kinderen die een grotere verbetering lieten zien op de balvaardigheden, ook een grotere verbetering vertoonden op de executieve functie 'planning en probleemoplossend vermogen' ten opzichte van kinderen die minder vooruit waren gegaan op de balvaardigheden. Uit dit onderzoek kunnen we concluderen dat het balvaardigheidsprogramma effectief is om de balvaardigheden van kinderen met leerproblemen in het speciaal basisonderwijs te verbeteren. Verder is er een eerste indicatie dat het trainen van balvaardigheden effect kan hebben op cognitieve vaardigheden, in het bijzonder op planning en probleemoplossend vermogen. Echter, vervolgstudies met een langer programma zijn nodig om het effect van het balvaardigheidsprogramma op cognitie verder te onderzoeken.

In hoofdstuk 7 worden de belangrijkste bevindingen van dit proefschrift bediscussieerd. Daarnaast worden aanbevelingen gedaan voor zowel vervolgonderzoek als voor het onderwijs.

De belangrijkste conclusies die we op basis van dit proefschrift kunnen trekken zijn:

1. Kinderen met leerproblemen in het speciaal basisonderwijs hebben over het algemeen slechtere grove motorische vaardigheden dan leeftijdgenootjes in het reguliere onderwijs.
2. Kinderen met leerproblemen in het speciaal basisonderwijs ontwikkelen hun grove motorische vaardigheden naarmate ze ouder worden, echter op 11-jarige leeftijd is er nog steeds een achterstand van tenminste 3 jaar ten opzichte van

11-jarige reguliere kinderen.

3. De relatie tussen grove motorische vaardigheden en cognitieve vaardigheden lijkt een specifieke relatie in plaats van een algemene relatie te zijn.
4. Specifieke aandacht voor het oefenen van grove motorische vaardigheden is noodzakelijk voor kinderen met leerproblemen in het speciaal basisonderwijs.
5. Het balvaardigheidsprogramma is een effectief programma om de balvaardigheden van kinderen met leerproblemen in het speciaal basisonderwijs te verbeteren.
6. Trainen van balvaardigheden bij kinderen met leerproblemen lijkt positieve invloed te hebben op hun executieve functies, in het bijzonder op planningsvaardigheden en het probleemoplossend vermogen. Er is meer onderzoek nodig naar effecten van motorische interventies op cognitieve prestaties van kinderen met leerproblemen.

Op basis van de resultaten van het proefschrift volgt een aantal praktische implicaties. Aan de leerkrachten bewegingsonderwijs wordt aanbevolen specifieke aandacht te besteden aan het ontwikkelen van grove motorische vaardigheden tijdens de lessen bewegingsonderwijs. Hierbij is het van belang rekening te houden met niveauverschillen van de kinderen door oefeningen op verschillende niveaus aan te bieden en door kinderen individueel en specifieke feedback te geven. De resultaten onderstrepen het belang van een goede grove motorische ontwikkeling en daarmee het belang van kwalitatief goed bewegingsonderwijs voor kinderen. De resultaten dragen hopelijk bij aan een grotere bewustwording in de samenleving en de politiek dat het bewegingsonderwijs als een belangrijk schoolvak moet worden beschouwd.

Dankwoord

Het is zover, mijn proefschrift is af. Wat ben ik hier blij mee en wat heb ik hier naar uitgekeken! In het najaar van 2008 begon ik vol enthousiasme aan deze uitdaging. Dat het een uitdaging was, heb ik ervaren. Een periode waarin ik hele mooie en leuke momenten heb beleefd, maar er waren ook lastige tijden. Als ik terugkijk kan ik daarom zeggen: ik heb veel geleerd, over het onderzoek, maar ook over mijzelf. In vele opzichten ben ik wijzer geworden. Op het resultaat ben ik best wel trots. En omdat het resultaat, dit proefschrift, zeker niet alleen door mijn eigen kracht tot stand is gekomen, wil graag velen bedanken voor hun steun en hulp.

Allereerst professor dr. Visscher, mijn promotor, beste Chris, jij hebt je hard gemaakt voor een promotieplek voor mij bij het Centrum voor Bewegingswetenschappen. Hier ben ik je heel dankbaar voor. Tijdens het onderzoek bewaakte jij de grote lijnen en was je kritisch op wat ik opschreef. Je stelde vragen en maakte opmerkingen die mij telkens weer aan het denken zette. Chris, bedankt voor je tijd, kennis en passie voor het onderzoek naar sport, bewegen en cognitie!

Dr. Hartman, mijn co promotor, beste Esther, het was fijn om met jou samen te mogen werken. Vanaf het begin heb jij vertrouwen gehad in een goede afloop, wat je ook uitstraalde en mij geholpen heeft om het promotieonderzoek af te ronden. Bedankt voor het veelvuldig lezen van mijn stukken, het geven van feedback en de vele uren overleg. Ook voor een gezellige babbel kon ik altijd bij je binnenlopen, hartstikke bedankt!

Dr. Houwen, mijn co promotor, beste Suzanne, naast mijn co promotor was jij de eerste jaren van mijn promotieonderzoek ook mijn kamergenoot wat onze band bijzonder maakte. Uren hebben we gepraat over het onderzoek, maar zeker net zoveel uren (misschien wel meer) deelden we onze ervaringen en de ontwikkelingen van onze eigen toppers. We hebben een gezellige tijd gehad samen, heel erg bedankt! Ik wil je ook bedanken voor het lezen van mijn stukken en je kritisch opbouwende feedback. Door jou zijn de artikelen echt beter geworden, bedankt!

Dr. Smith, beste Joanne, bedankt voor het lezen van mijn artikelen, je inhoudelijke bijdrage tijdens onze overleggen, maar bovenal voor je Engelse aanvullingen. Waar ik nog weleens moeite had om mijn gedachten goed onder woorden te brengen, *you always came up with an alternative*. Ik heb jouw bijdrage aan mijn project enorm gewaardeerd, bedankt. Dr. Huijgen, beste Barbara, jij hebt mij wegwijs gemaakt in de wereld van multilevel analyses. Met al mijn vragen kon ik bij jou terecht. Hier zijn 2 mooie artikelen uit voort gekomen, ontzettend bedankt. De leden van de beoordelingscommissie, Professor dr. R.J. Bosker, Professor dr. K.A.P.M. Lemmink en Professor dr. E. J.A. Scherder, wil ik hartelijk danken voor het lezen en beoordelen van het manuscript.

Naast mijn begeleidingsteam gaat mijn grote dank uit naar SBO De Meander. Zonder deze school, de kinderen, hun ouders en leerkrachten was mijn onderzoek niet mogelijk geweest. In het bijzonder wil ik Cor van Alff bedanken. Cor, bedankt voor je hartelijkheid, je interesse in mijn onderzoek en je medewerking tijdens al mijn metingen, en dat waren er veel! Ook wil ik je bedanken voor je enorme inzet bij het uitvoeren van de interventie, maar liefst 16 weken lang. Bedankt voor de samenwerking en de gezellige momenten tijdens de gymlessen. Daarnaast wil ik Niesco Loeröp bedanken voor het wegwijs maken in het leerlingvolgsysteem en het verzamelen van de cito-scores van de kinderen. Ook Jan Koolen en Henk Westerhof wil ik bedanken voor het tonen van

interesse in mijn onderzoek.

Voor de uitvoerig van mijn metingen heb ik heel veel steun gehad. In het bijzonder wil ik Remo Mombarg bedanken voor het meedenken en het 'regelen' van studenten van het HIS voor mijn metingen. Zonder alle studenten bij name te noemen, iedereen ontzettend bedankt. Mijn collega's van Bewegingswetenschappen wil ik bedanken voor de belangstelling en goede werksfeer. Alle promovendi op de aio-gang dankjewel voor de gezellige 'koffietripjes' en veel succes met het afronden van jullie onderzoek. En dan mijn kamergenoten, ik heb er meerdere gehad... in het bijzonder wil ik Berdien en Alien bedanken voor de gezellige tijd en de goede gesprekken. We waren er niet heel vaak met zijn drieën, maar als we er alle drie waren was het super gezellig. Ik wens jullie beide veel succes met het afronden van jullie promotieonderzoek, maar vooral veel geluk in de toekomst met jullie gezin.

Naast collega's wil ik ook familie, vrienden en vriendinnen bedanken. In het speciaal; Annerieke, Gretha en Gëtina, de laatste weken van mijn onderzoek heb ik gebruik gemaakt van jullie oppasdiensten, zodat ik het onderzoek kon afronden voor de geboorte van Anniek. Ontzettend bedankt hiervoor. Annerieke en Gretha jullie zijn ook mijn paranimfen. Fijn dat jullie mij bij willen staan tijdens deze bijzondere dag. Lieve Annerieke, bedankt voor je warme vriendschap. Ik vind het bijzonder dat je mij bij wilt staan vandaag met je dikke buik. Je was er voor mij tijdens de moeilijke momenten, je luisterde en gaf advies. Hier heb ik heel veel aan gehad, ontzettend bedankt! Lieve Gretha, ook jij stond (en staat) altijd voor mij klaar. Omdat jij thuis zat i.v.m. je zwangerschap kon ik lekker vaak komen koffie drinken. Bedankt voor je luisterend oor tijdens al mijn verhalen, maar bovenal bedankt voor je gezelligheid en wie je bent. Fijn dat ook jij naast mij wil staan tijdens deze dag. Broer, zus, schoonzussen en zwagers bedankt voor jullie interesse in mijn onderzoek, maar vooral voor wie jullie zijn. Het is altijd gezellig als we elkaar zien, dank jullie wel.

Lieve papa en mama, ik ben zo blij met jullie als ouders! Jullie hebben mij de mogelijkheid gegeven om op hoog niveau te wielrennen. Een paar keer per week naar de training en op zaterdag altijd onderweg naar een wedstrijd, niets was te gek. Ook tijdens mijn studie en mijn promotieonderzoek hebben jullie mij gesteund en geholpen waar nodig. Bedankt dat jullie er altijd voor mij zijn.

Lieve Siebe en Rinkje, wat heb ik het getroffen met jullie als schoonouders. Bedankt voor jullie gezelligheid, warmte en betrokkenheid. Jullie staan altijd voor Jeroen en mij klaar. De kinderen kunnen altijd bij jullie terecht. Ik (en Jeroen ook) waardeer dat enorm!

Lieve Jeroen, zonder jou was dit proefschrift er nooit geweest! Jij bent er altijd voor mij. Je hebt mij gesteund, geadviseerd en gemotiveerd. Bedankt voor je liefde, geduld en een luisterend oor. Jij bent mijn maatje, maar vooral de man van wie ik heel veel hou. Ik hoop samen met jou en onze 3 kinderen nog veel mooie jaren te beleven. Ook wil ik je bedanken voor de tijd die je vrij hebt gemaakt (en die is schaars) om het boekje op te maken. Ontzettend bedankt.

Sven, Carlijn en Anniek jullie zijn onze toppers! In de periode van mijn promotietraject heb ik jullie zien groeien. Wat is het bijzonder om te zien hoe jullie ontwikkelen, van het eerste stapje naar een heuse voetbalwedstrijd op het veldje bij ons in de buurt. Lieve Sven, jij zit nu in groep 3 en leert rekenen, schrijven en lezen, maar het

liefst speel je buiten op het schoolplein. Heel goed want daar ligt de basis! Lieve Carlijn, ook jij zit al op school, in groep 1. Je kent al heel wat letters, maar je mag vooral nog lekker spelen. Jullie hebben mij geholpen met het ontwerpen van de omslag van dit boekje. Het is prachtig geworden. Lieve Sven, Carlijn en Anniek ik hoop nog heel lang van jullie te mogen genieten.

Curriculum Vitae

Marieke Westendorp is geboren op 1 oktober 1981 te Zuidlaren. Na het behalen van haar VWO diploma aan het Gomarus College in Groningen in 2000, is zij gestart met de opleiding Bewegingswetenschappen aan de Rijksuniversiteit Groningen. Naast de opleiding Bewegingswetenschappen in Groningen, heeft Marieke de afstudeerrichting Psychomotorische Therapie bij de opleiding Bewegingswetenschappen aan de Vrije Universiteit in Amsterdam gevolgd. In het kader hiervan heeft zij een praktijkstage gedaan als psychomotorische therapeut bij het Regionaal Expertise Centrum Noord Nederland cluster 4 (Renn4). In haar afstudeeronderzoek heeft zij onderzoek gedaan naar de grove motorische ontwikkeling van dove kinderen. In 2005 heeft Marieke haar opleiding afgerond met het doctoraalexamen in de richting 'Sport'.

Van 2005 tot 2008 heeft zij gewerkt als projectmedewerker bij het Koninklijk Nederlands Genootschap voor Fysiotherapie. In oktober 2008 keerde Marieke terug naar Groningen en startte zij als promovendus bij het Centrum voor Bewegingswetenschappen. Het doel van het promotieonderzoek was inzicht verkrijgen in de motorische ontwikkeling en de mogelijke relaties tussen motorische vaardigheden en cognitieve vaardigheden bij kinderen in het speciaal basisonderwijs.

List of publications

International publications (peer-reviewed)

Hartman, E., Smith, J., Westendorp, M., & Visscher, C. Development of physical fitness in children with intellectual disabilities (*in press*). *Journal of Intellectual Disability Research*.

Westendorp, M., Hartman, E., Houwen, S., Huijgen, B.C.H., Smith, J., & Visscher, C. (2014). A Longitudinal Study on Gross Motor Development in Children With Learning Disorders. *Research in Developmental Disabilities, 35*, 357-363.

Westendorp, M., Houwen, S., Hartman, E., Mombarg, R., Smith, J., & Visscher, C. (2014). Effect of a Ball Skill Intervention on Children's Ball Skills and Cognitive Functions. *Medicine and Science in Sports and Exercise, 46*, 414-422.

Westendorp, M., Hartman, E., Houwen, S., Smith, J., & Visscher, C. (2011). The relationship between gross motor skills and academic achievement in children with learning disabilities. *Research in Developmental Disabilities, 32*, 2773-2279.

Westendorp, M., Houwen, S., Hartman, E., & Visscher, C. (2011). Are gross motor skills and organized sports participation related in children with intellectual disabilities? *Research in Developmental Disabilities, 32*, 1147-1153.

National publications

Westendorp, M., van Alff, C., Hartman, E., & Visscher, C. (2013). Beter ballen en beter nadenken. *Lichamelijke Opvoeding, 101*, 44-46.

Book chapters

Hartman, E., Vuijk, P.J., Westendorp, M. (2010). Wees slim: oefen veel tijdens de gym! In: *Smart Movements. 25 jaar Bewegingswetenschappen Groningen* (Eds. R. Bongers, S. Caljouw, E. Hartman and R. den Otter). Interfacultair Centrum voor Bewegingswetenschappen (ICBW), Rijksuniversiteit Groningen, Universitair Medisch Centrum Groningen, the Netherlands, 34-36.

Abstracts

Hartman, E., Smith, J., Westendorp, M., & Visscher, C. (2014). Relationship between motor performance and academic ability in children with learning disorders. Inspiring Infancy. Interrelations between sensory, motor, and cognitive abilities during typical and atypical development, Groningen 15-17 May.

Hartman, E., Smith, J., Westendorp, M., & Visscher, C. (2013). Development of physical fitness and the relationship with executive functioning in children with intellectual disabilities. ECSS: 18th Congress of the European College of Sport Science, Barcelona, Spain, 221.

Hartman, E., Westendorp, M., Smith, J., & Visscher, C. (2012). Effect of a ball skill intervention on ball skills and cognition in children with learning disorders. European

Congress of Adapted Physical Activity (EUCAPA), Killarney, Ireland.

Hartman, E., Westendorp, M., & Visscher, C. (2011). Motor development and the relationship with executive functioning in children with intellectual disabilities. ECSS: 16th Congress of the European College of Sport Science, Liverpool, United Kingdom, 60.

Westendorp, M., Hartman, E., & Visscher, C. (2011). Effect of a motor skill program on the ball skills of children in Dutch special education. ECSS: 16th Congress of the European College of Sport Science, Liverpool, United Kingdom, 60.

